TENDER NO. PROC-FC/CB/P&P/NASHPA-4159/2019 SPARE PARTS FOR FLOW SERVE CONTROL VALVES OF NASHPA PLANT

1	Case will be processed on single stage – two envelop bidding procedure as per PPRA rules.						
2	For Evaluation, Bidders must confirm/meet the following criteria:	Compliance by bidder					
Α	Confirm compliance to the Evaluation criteria attached with Schedule of Requirement.						
3	PAYMENT TERMS Payment will be made as per the foreign procurement payment terms available at OGDCL website (tenders tab) effective from February 27, 2018. • 70% upon shipment • 30% after complete delivery/receipt/inspection.						
4	BID VALIDITY Bid shall remain valid for a period of 180 days from the date of technical bid opening						
5	BID BOND VALIDITY Bid bond for amount of USD 2,000 (US Dollars two thousand only) is required upfront along with technical bid, which shall remain valid for a period of 210 days from the date of technical bid opening.						
6	DELIVERY PERIOD Four (04) Supplier will be required to complete delivery in three-(03) months on CFR Karachi seaport basis from the date of establishment of letter of credit.						
7	EVALUATION CRITERIA: Full consignment wise on CFR KARACHI BY SEA BASIS.						
8	TERMS AND CONDITIONS: Bidder is advised to carefully read all the terms and conditions of the tender document available at OGDCL website in the master tender document.						
9	SHIPMENT FROM ACU MEMBER COUNTRIES: In case of shipment from ACU member countries, the LC beneficiary should be of that particular country from where the consignment is being shipped. Bidder to confirm/ensure that there are no trade						

	ban/restrictions on LC beneficiary/manufacturer's country by Pakistan / international organization.	
10	COMPLIANCE TO TENDER TERMS/SOR/ATTACHMENT Supplier will be responsible for completeness of the package and full requirement of OGDCL. Compliance is required from bidder/manufacturer to the full OGDCL tender terms/requirement.	
11	10% PERFORMANCE BANK GUARANTEE In case of award successful bidder shall provide 10% Performance Bank Guarantee. Which shall remain valid for full value upto twelve (12) months from the date of shipment. FORMAT ATTACHED.	
12	OGDCL reserves the right to increase / decrease the quantities/TOR/BOQ keeping in view its operational requirements.	
13	Please attach Un-priced Schedule of requirement along with Technical Bid and Priced Schedule of requirement along with Financial Bid. In case of Non-compliance bid shall be rejected.	
14	The bidders are required to quote all items on CFR Karachi by Sea basis. The quotation must show FOB Cost & CFR Cost separately.	

PERFORMANCE BANK GUARANTEE

		LINI	MINIMICED	AIII U	UAIN	MAILE				
Oil & Limited	Gas Development Company OGDCL House, Jinnah									
Avenue										
(Pakista	50									
Dear Si	,									
Ref; ou	r Bank Guarantee No				in the	sum c	of			
Accoun	t	in			of	you	having	entered	into	Contract
			with_						Cal	
followir	ctor and in consideration for values:	alue r	eceived fr	om CO	NIRA	ACTOR.	We her	eby agree	and un	dertake as
questio fulfillme	To make unconditional payment price mentioned in the said corn or reference to CONTRACTOR ent by CONTRACTOR of his obligated in the said corn	tract,	on your wri	tten Fl erson in	RST a	nd SIM event	IPLE dema of defau	and withou Ilt, non-per	t furthe forman	r recourse, ce or non-
	The accept written intimation from the contract of the contract of the part of CO FIRST and SIMPLE written demander.	NTRA								
3 of disch	This Performance Bond shall re arge by your authorized represen									statement
4	DEMURRAGE DUE TO DELAY IN	RECE	IPT / NEGOT	IATION	OF	DRIGINA	AL SHIPPI	NG DOCUM	IENTS.	
	ean documents are not negotiat h held by Bank on account of any		10.00	ition P	eriod	allowe	d in Lette	er of Credit	or docu	ıments are
• If	the Demurrage, if any incurred or realized from the beneficiary of amount. In case demurrage amount will be payable by the beneficiar	of L/C ount e	by encash	ing this	s Per	forman	ce Bond	to the exte	ent of	demurrage
under t	That no grant of time or other in the parties, or imposition or Ago the said Agreement, with or with the and our liabilities and commit	reeme	ent with CON notice to us	ITRACT , shall	OR in in an	respec y mani	ct of the p	erformance	e of his	obligations
2 interest	This is an independent and dir and shall be Irrevocable.	ect o	bligation gu	arante	e and	d shall	be bindir	ng on us ar	nd our	successors
3 constitu	This guarantee shall not be af tion of the Contractor.	fected	by any ch	ange i	n the	consti	tution of	the <u>Guara</u>	ntor Ba	ank_or the
4 this gua	The Guarantor Bank Warrants arrants arrantee.	nd rep	resents that	it is fu	lly au	thorize	d, empov	vered and c	ompete	nt to issue
(BANI	(E RS)									

PROC-FC/CB/P&P/NASHPA-4159/2019

OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT, ISLAMABAD FOREIGN SECTION C

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material

SPARE PARTS FOR FLOW SERVE CONTROL VALVES

Tender Enquiry No

PROC-FC/CB/P&P/NASHPA-4159/2019

Due Date

	ion Criteria FULL	SCHEDULE OF REQUIREMENT							
Sr No	Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price C & F BY SEA	Total Price C & F BY SEA	Deviated From Tender Spec. If Any	
1	LEVEL CONTROL VALLVE TRIM SET (PLUG,SEAT & STEM); Sr NO:101385700301, CLASS: CL 900 PO# AW160715SUZ SZ: 1 MK:1; Make: Flow Serve OR EQUIVALENT IN FIT, FORM AND FUNCTIONALITY	Number	1						
2/	LEVEL CONTROL VALVE Actuator Seal Kit;Part Number: JAA.ACT SEAL KIT.Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1						
3	LEVEL CONTROL VALVE Actuator Seal Kit;Part Number: JAA.ACT SEAL KIT.Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1				1		
4	LEVEL CONTROL VALVE Actuator Seal Kit;Part Number: JAA.ACT.SEAL KIT.;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1				1		
5	LEVEL CONTROL VALVE GASKET ;Part Number: 001501.655.000;ELASTOMER, 1.31 X 0.75, 0.06 THICK, RUBBER, NEOPRENE, GARLOCK 7797 (ADJ. SCREW GASKET) 8 YEAR SHELF LIFE; Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1				4		
6	LEVEL CONTROL VALVE GASKET ;Part Number: 41561 ;D 88 X 75 X 1 (RGR 99.8%/1.4401) ;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1				. 1		
7	LEVEL CONTROL VALVE GASKET;Part Number: 001501.655.000;ELASTOMER, 1.31 X 0.75, 0.06 THICK, RUBBER, NEOPRENE, GARLOCK 7797 (ADJ. SCREW GASKET) 8 YEAR SHELF LIFE;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1						
8	LEVEL CONTROL VALVE GASKET; Part Number: 001704.925.000; 1.69 X 1.31, 0.12 THICK, ECN 6524, PLASTIC, PTFE, VIRGIN, INDEFINITE SHELF LIFE; MAKE: FLOW SERVE OR EQUIVALENT IN FIT, FORM AND FUNCTIONALITY	Number	1						
9	LEVEL CONTROL VALVE GASKET;Part Number: 001705.925.000;2.50 X 2.12, 0.15 THICK, ECN 6524, PLASTIC, PTFE, VIRGIN, INDEFINITE SHELF LIFE;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1	the		/			
10	LEVEL CONTROL VALVE GASKET;Part Number: 001705.925.000;2.50 X 2.12, 0.15 THICK, ECN 6524, PLASTIC, PTFE, VIRGIN, INDEFINITE SHELF LIFE;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1	10	500				
11	LEVEL CONTROL VALVE GASKET; Part Number: 003360.925.000; PTFE, 1.88 X 1.50, 0.12 THICK, PLASTIC, PTFE, VIRGIN, INDEFINITE SHELF LIFE; Make: Flow Serve OR EQUIVALENT IN FIT, FORM AND FUNCTIONALITY	Number	1						
12	LEVEL CONTROL VALVE PACKING FOLLOWER 16MM STEM;Part Number: 303233;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1						
13	LEVEL CONTROL VALVE PACKING SET; Part Number: 020746.925.000; SINGLE, VEE, 0.56 STEM, PLASTIC, PTFE, VIRGIN, INDEFINITE SHELF LIFE; Make: FlowServe OR EQUIVALENT IN	Number	1 Page	. 1					

OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT, ISLAMABAD FOREIGN SECTION C

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material

SPARE PARTS FOR FLOW SERVE CONTROL VALVES

Tender Enquiry No

PROC-FC/CB/P&P/NASHPA-4159/2019

Due Date

Evaluation Criteria

FULL

	FIT,FORM AND FUNCTIONALITY		
1	LEVEL CONTROL VALVE PACKING SET;Part Number: 020746.927.000;SINGLE, VEE, 0.56 STEM, PLASTIC, PTFE, GLASSFILLED 25%, INDEFINITE SHELF LIFE;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
5	LEVEL CONTROL VALVE PROFILE RING;Part Number: 49167;D 74X68X3 (R901/B, DENSITY 1,35–1,45); Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
Ó	LEVEL CONTROL VALVE TRIM SET (PLUG,SEAT & STEM), Sr NO:101385700101, CLASS: CL 900 PO# AW160715SUZ SZ: 1 MK:1;MAKE: FLOW SERVE OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
7	LEVEL CONTROL VALVE TRIM SET (PLUG,SEAT & STEM) ;Sr #:101385700201, CLASS: CL 600; PO# AW160715SUZ SZ: 1 MK:1;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
3	LEVEL CONTROL VALVE TRIM SET (PLUG,SEAT & STEM),Sr NO:101411700102,TYPE:V738DFVNS;CLASS:1 1/2" //150,ACTUATOR TYPE:IT253BVCOZA SEAT:34;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
)	LEVEL CONTROL VALVE TRIM SET (PLUG,SEAT & STEM);Sr NO:1013857006 /101385700701/101385700702, TYPE:V701DFVNV ;CLASS:300, ACTUATOR TYPE:IG253BVCOZA SEAT:25;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
)	POSITIONER (MODEL # 3200MD-28-D6-E-04-40-OG-00, SR# BG15026 CLASS/SERIES:LOGIX 3200);Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	2
	POSITIONER (MODEL # 420–40–W1D–10 SR # 8W1610BS);Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
	POSITIONER (MODEL # 420–40–W2D–10 SR # CF16102Z);Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1 (et R)
3	PRESSURE CONTROL VALVE Actuator Seal Kit; Part Number: JAA.ACT SEAL KIT.Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
1	PRESSURE CONTROL VALVE GASKET;Part Number: 001631.655.000 ;ELASTOMER, 2.12 X 1.50, 0.06 THICK, RUBBER, NEOPRENE, GARLOCK 7797 (ADJ. SCREW GASKET) 8 YEAR SHELF LIFE ;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
j	PRESSURE CONTROL VALVE GASKET;Part Number: 001794.925.000;PTFE, 3.75 X 3.38, 0.12 THICK, PLASTIC, PTFE, VIRGIN, INDEFINITE SHELF LIFE;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1
Ó	PRESSURE CONTROL VALVE GASKET; Part Number: 001794,925,000; PTFE, 3.75 % 3.38, 0.12 THICK, PLASTIC, PTFE, VIRGIN, INDEFINITE SHELF LIFE; Make: Flow Serve OR EQUIVALENT IN FIT, FORM AND FUNCTIONALITY	Number Part Nu	Imber: 001793.925.000, PTFE, 4.62 X 4.25, 0.15
7	PRESSURE CONTROL VALVE GASKET;Part Number: 009130.925.000;PTFE, 3.50 X 3.12, 0.15 THICK, PLASTIC, PTFE, VIRGIN, INDEFINITE SHELF LIFE ;Make:FlowServe OR EQUIVALENT IN	Number	1 D. 2
	The state of the s		Page 2

OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT, ISLAMABAD FOREIGN SECTION C

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material

SPARE PARTS FOR FLOW SERVE CONTROL VALVES

Tender Enquiry No

PROC-FC/CB/P&P/NASHPA-4159/2019

Due Date

Evaluation Criteria

FULL

FIT, FORM AND FUNCTIONALITY			
PRESSURE CONTROL VALVE PACKING SET; Part Number: 020749.927.000; SINGLE, VEE, 0.88 STEM, PLASTIC, PTFE, GLASSFILLED 25%, INDEFINITE SHELF LIFE; Make: Flow Serve OR EQUIVALENT IN FIT, FORM AND FUNCTIONALITY	Number	1	
SOLENOID VALVE (MODEL # FP06P-S1-04-32-NU-SA-77A-24D-35- K85; FOR DETAIL SEE THE ATTACHMENT.	Number	2	
TEMPERATURE CONTROL VALVE Actuator Seal Kit; Part Number: JAA.ACT.SEAL KIT.TCV-3103; Make: FlowServe OR EQUIVALENT IN FIT, FORM AND FUNCTIONALITY	Number	1	• 1
TEMPERATURE CONTROL VALVE GASKET;Part Number: 44573;D 74 X 63 X 1 (RGR 99.8%/1.4401);Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1	
TEMPERATURE CONTROL VALVE PROFILE RING;Part Number: 49172;D 62X56X3 (R901/B, DENSITY 1,35–1,45);MAKE :FLOW SERVE OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1	
TEMPERATURE CONTROL VALVE TRIM SET (PLUG,SEAT & STEM);Sr NO:101411700101,TYPE:V738DFVNS, CLASS:1 1/2" //150;ACTUATOR TYPE:IT253BVCOZA SEAT:34;Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1	
TEMPERATURE CONTROL VALVE V-RING PACKING;Part Number: 52728;5-PART 22 X 12 (MT12/MT01);Make:FlowServe OR EQUIVALENT IN FIT,FORM AND FUNCTIONALITY	Number	1	

Note:

Netter R

TENDER NO. PROC-FC/CB/P&P/NASHPA-4159/2018 SPARE PARTS FOR FLOW SERVE CONTROL VALVES

- 1-Bidder must confirm that quoted items / spare parts are 100% fit in specification, size and function/metallurgy for the items /spare parts model mentioned by OGDCL. Country of origin with complete address of the factory to be provided in technical bid
- 2- Items / Spare Parts must be in original OEM Packing
- 3- Items / Spare Parts must be new & free from any defect
- 4-If any change/update/superseded part nos., it should be incorporated in bid.

5-In case `EQUIVALENT` Make, Model and P# against specified SOR items are offered / quoted. Confirmation Certificate from OEM should be provided that;

- i- Offered/ quoted items and their Make, Model and P# are exactly functional replacement of specified SOR items in all aspects of specifications, size, installation and functionality.
 - ii- No additional software / hardware and workmanship will be required for installation and operation.
 - iii- All the quoted items, must replace the specified SOR items without any modification / system shutdown.
- iv- At any stage any/all of the items found contradicted to above conditions, supplier will be liable to replace any/all the supplied items with specified Model, P# and specs as mentioned in the SOR at supplier's cost.
- 6- Items / Spare Parts must have standard OEM warranty/guarantee
- 7- In case a different part number is quoted then supporting documentation from OEM must be provided
- 8-Delivery period is 120 Days from date of establishment of LC.
- 9- Bidder should submit the complete compliance of above clauses duly signed and stamped

Juda D