

**Data Sheet**

**For Light Crude Export Pumps**

**(P-0502A/B/C-24)**

1	NUMBER REQUIRED: 3		SPEC NO.:																
2	MANUFACTURER: Dalian Deep Blue Pump Co.,Ltd		PURCHASE ORDER NO.:																
3	SIZE & TYPE: DCSG400-120X4 BB5		SERIAL NO.:																
4	APPLICABLE TO: <input type="radio"/> PROPOSALS <input type="radio"/> PURCHASE <input checked="" type="checkbox"/> AS BUILT																		
5	NOTES: INFORMATION BELOW TO BE COMPLETED: <input type="radio"/> BY PURCHASER <input type="checkbox"/> BY MANUFACTURER <input checked="" type="checkbox"/> BY MANUFACTURER OR PURCHASER																		
6	<input checked="" type="radio"/> OPERATING CONDITIONS (5.1.3)		<input checked="" type="radio"/> LIQUID (5.1.3)																
7	CAPACITY, NORMAL 310.5 (m³/h) RATED 403.6 (m³/h)		LIQUID TYPE OR NAME STABILISED LIGHT CRUDE OIL																
8	OTHER		<input checked="" type="radio"/> HAZARDOUS <input checked="" type="radio"/> FLAMMABLE <input type="radio"/> (5.1.5)																
9	SUCTION PRESSURE RATED/MAX. 4.92 / 18 (barg)		<table><tr><th>MIN.</th><th>NORMAL</th><th>MAX.</th></tr><tr><td>6</td><td></td><td>60</td></tr><tr><td>0.2</td><td></td><td>0.82</td></tr><tr><td>0.872</td><td></td><td>0.83</td></tr><tr><td>10.5</td><td></td><td>3.7</td></tr></table>		MIN.	NORMAL	MAX.	6		60	0.2		0.82	0.872		0.83	10.5		3.7
MIN.	NORMAL	MAX.																	
6		60																	
0.2		0.82																	
0.872		0.83																	
10.5		3.7																	
10	DISCHARGE PRESSURE 40.9 (barg)		PUMPING TEMP (°C)																
11	DIFFERENTIAL PRESSURE 36 (bar)		VAPOR PRESS. (bar)																
12	DIFF. HEAD 442 (m) NPSHA 62.7 (m)		RELATIVE DENSITY (SG):																
13	PROCESS VARIATIONS (5.1.4)		VISCOSITY (cP)																
14	STARTING CONDITIONS (5.1.4)		SPECIFIC HEAT, Cp 1.76~1.98 (kJ/kg °C)																
15	SERVICE: <input checked="" type="radio"/> CONT. <input type="radio"/> INTERMITTENT (STARTS/DAY)		<input checked="" type="radio"/> CHLORIDE CONCENTRATION 10 PTB BS &W (PPM)																
16	<input type="radio"/> PARALLEL OPERATION REQ'D (5.1.13)		<input checked="" type="radio"/> H₂S CONCENTRATION (6.5.2.4) 15PPM by Wt (PPM) WET (5.2.1.12c)																
17	<input checked="" type="radio"/> SITE DATA (5.1.3)		CORROSIVE / EROSION AGENT H₂S, CO₂, Cl⁻ (5.12.1.9)																
18	LOCATION: (5.1.30)		MATERIALS																
19	<input type="radio"/> INDOOR <input type="radio"/> HEATED <input checked="" type="radio"/> OUTDOOR <input checked="" type="radio"/> UNHEATED		<input checked="" type="radio"/> ANNEX H CLASS (5.12.1.1) S-6																
20	<input checked="" type="radio"/> ELECTRICAL AREA CLASSIFICATION (5.1.24 / 6.1.4)		<input type="radio"/> MIN DESIGN METAL TEMP (5.12.4.1) (°C)																
21	TEMP. CL T3 GR IIB Zone 2		<input type="radio"/> REDUCED HARDNESS MATERIALS REQ'D. (5.12.1.11)																
22	<input type="radio"/> WINTERIZATION REQ'D <input checked="" type="radio"/> TROPICALIZATION REQ'D.		<input checked="" type="checkbox"/> BARREL/CASE C.S IMPELLER 12%CHr																
23	SITE DATA (5.1.30) Refer spec:YAP1-CTEP00-SAEM-SPJB-1001		<input checked="" type="checkbox"/> CASE/IMPELLER WEAR RINGS 12%CHr																
24	<input checked="" type="radio"/> ALTITUDE 10 (m) BAROMETER (bar)		<input checked="" type="checkbox"/> SHAFT AISI4140																
25	<input checked="" type="radio"/> RANGE OF AMBIENT TEMPS: MIN/MAX. -4 / 52 (°C)		<input checked="" type="checkbox"/> DIFFUSERS 12%CHr																
26	<input checked="" type="radio"/> RELATIVE HUMIDITY: MIN / MAX / 100 (%)																		
27	UNUSUAL CONDITIONS: (5.1.30) <input checked="" type="radio"/> DUST <input type="radio"/> FUMES		<input checked="" type="checkbox"/> PERFORMANCE:																
28	<input checked="" type="radio"/> OTHER Temporary Sand Storm		PROPOSAL CURVE NO. RPM 2980																
29			<input checked="" type="checkbox"/> IMPELLER DIA. RATED 318 MAX. 330 MIN. 275 (mm)																
30			<input checked="" type="checkbox"/> IMPELLER TYPE CLOSED TYPE																
31	<input checked="" type="radio"/> DRIVER TYPE		<input checked="" type="checkbox"/> RATED POWER 541.88 (kW) EFFICIENCY 78 (%)																
32	<input checked="" type="radio"/> INDUCTION MOTOR <input type="radio"/> STEAM TURBINE <input type="radio"/> GEAR		<input checked="" type="checkbox"/> MINIMUM CONTINUOUS FLOW:																
33	<input type="radio"/> OTHER		THERMAL (m³/h) STABLE 61.8 (m³/h)																
34			<input checked="" type="checkbox"/> PREFERRED OPER. REGION 280 TO 440 (m³/h)																
35	<input checked="" type="radio"/> MOTOR DRIVER (6.1.1 / 6.1.4)		<input checked="" type="checkbox"/> ALLOWABLE OPER. REGION 61.8 TO 480 (m³/h)																
36	<input checked="" type="checkbox"/> MANUFACTURER ABB		<input checked="" type="checkbox"/> MAX HEAD @ RATED IMPELLER 595 (m)																
37	<input checked="" type="checkbox"/> 630 (kW) <input checked="" type="checkbox"/> 2980 (RPM)		<input checked="" type="checkbox"/> MAX POWER @ RATED IMPELLER 600 (kW)																
38	<input checked="" type="checkbox"/> FRAME AMD500L2T <input checked="" type="checkbox"/> ENCLOSURE IP55W		<input checked="" type="checkbox"/> NPSHR AT RATED CAPACITY 10 (m) (5.1.10)																
39	<input checked="" type="radio"/> HORIZONTAL <input checked="" type="checkbox"/> VERTICAL <input checked="" type="checkbox"/> SERVICE FACTOR 1		<input checked="" type="checkbox"/> SUCTION SPECIFIC SPEED 9121 (US)																
40	<input checked="" type="radio"/> VOLTS/PHASE/HERTZ 6000 / 3 / 50		MAX/ACTUAL / (5.1.11)																
41	<input checked="" type="radio"/> TYPE Induction Type		<input checked="" type="checkbox"/> MAX. SOUND PRESS. LEVEL REQ'D 85 @ 1m (dBA) (5.1.16)																
42	<input type="radio"/> MINIMUM STARTING VOLTAGE (6.1.5)		<input type="checkbox"/> EST MAX SOUND PRESS. LEVEL (dBA) (5.1.16)																
43	<input checked="" type="checkbox"/> INSULATION F <input checked="" type="radio"/> TEMP. RISE B		<input type="radio"/> UTILITY CONDITIONS																
44	<input checked="" type="checkbox"/> FULL LOAD AMPS 70A		ELECTRICITY																
45	<input checked="" type="checkbox"/> LOCKED ROTOR AMPS 371A		DRIVERS																
46	<input checked="" type="radio"/> STARTING METHOD DOL		HEATING																
47	<input checked="" type="radio"/> LUBE OIL		SYSTEM VOLTAGE DIP <input type="radio"/> 80% <input checked="" type="radio"/> OTH YAP1-AAAA81-MEEL-SPEQ-1005																
48	BEARINGS (TYPE/NUMBER):		STEAM																
49	<input checked="" type="checkbox"/> RADIAL 6317M/C3 / 1		MAX. PRESS. MAX. TEMP. MIN. PRESS. MIN. TEMP.																
50	<input checked="" type="checkbox"/> THRUST 6317M/C3 / 1		DRIVERS																
51	<input type="checkbox"/> VERTICAL THRUST CAPACITY		HEATING																
52	UP (N) DOWN (N)		COOLING WATER: (5.1.19) SOURCE																
53			SUPPLY TEMP. N.A (°C) MAX. RETURN TEMP. (°C)																
54			NORM. PRESS. N.A (bar) DESIGN PRESS. (bar)																
55			MIN. RET. PRESS. N.A (bar) MAX. ALLOW. D.P. (bar)																
56			CHLORIDE CONCENTRATION: (PPM)																
57																			
58																			
59																			
60																			
61																			
62																			

1	
2	<b>NOTES:</b> 1 Motor datasheet will be submitted separately.
3	2 This pump can be self-vent. So there is no vent.
4	3 There is no extra pressured lub oil system, since the ring oil is applicable.
5	4 The procured mechanical seal plan 11+53B is suitable for this case.
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	

CONSTRUCTION

ROTATION: (VIEWED FROM COUPLING END)

☒ CW

☐ CCW

PUMP TYPE: (1.3)

☒ BB1

☐ BB2

☐ BB3

☒ BB5

CASING MOUNTING:

☒ CENTERLINE

☐ NEAR CENTERLINE

☐ FOOT

CASING SPLIT:

☐ AXIAL

☒ RADIAL

CASING TYPE:

☐ SINGLE VOLUTE

☐ MULTIPLE VOLUTE

☒ DIFFUSER

☒ BETWEEN BEARINGS

☒ BARREL

CASE PRESSURE RATING:

☒ MAX ALLOWABLE WORKING PRESSURE

69

(bar)

@

6/155

(°C)

☒ HYDROTEST PRESSURE

104

(bar)

☐ SUCTION PRESS. REGIONS MUST BE DESIGNED FOR MAWP (5.3.6)

☒ NOZZLE CONNECTIONS: (5.4.2)

SIZE	FLANGE RATING	FACING	POSITION
250	600lb	RF	TOP
200	600lb	RF	TOP

SUCTION

250

600lb

RF

TOP

DISCHARGE

200

600lb

RF

TOP

BALANCE DRUM

PRESSURE CASING AUX. CONNECTIONS: (5.4.3)

NO.	SIZE (NPS)	TYPE
1	20	FLANGE

☒ DRAIN

☐ Cooling

☐ PRESS. GAUGE

☐ TEMP GAUGE

☐ WARM-UP

☐ BALANCE / LEAK-OFF

☐ MACHINED AND STUDDED CONNECTIONS (5.4.3.8)

☐ CYLINDRICAL THREADS REQUIRED (5.4.3.3)

ROTOR:

☒ COMPONENT BALANCE TO ISO 1940 G1.0 (5.9.4.4)

☒ SHRINK FIT -LIMITED MOVEMENT IMPELLERS (8.2.2.3)

COUPLINGS:(6.2.2) (Remak 1)

☒ MANUFACTURER

Metastream

☒ MOC

Flexible with spacer

☐ RATING (KW/100 RPM)

☒ SPACER LENGTH

250

(mm)

☒ SERVICE FACTOR

1.5

DRIVER HALF COUPLING MOUNTED BY:

☒ PUMP MFR.

☐ DRIVER MFR.

☐ PURCHASER

☐ COUPLING WITH HYDRAULIC FIT (6.2.9)

☐ COUPLING BALANCED TO ISO 1940-1 G6.3 (6.2.3)

☐ COUPLING PER ISO 14691(6.2.3)

☐ COUPLING PER ISO 10441(6.2.3)

☒ COUPLING PER API 671(6.2.3) and IPS-M-PM-310

☒ NON SPARK COUPLING GUARD (6.2.13)

☐ COUPLING GUARD STANDARD

ASME B15.1

OTHER

BASEPLATES:

☐ API BASEPLATE NUMBER

(ANNEX C)

☒ NON-GROUT CONSTRUCTION (6.3.13)

☒ OTHER

Anchor bolts & levelling screws RQD

MECHANICAL SEAL:(5.8.1)

☐ SEE ATTACHED ISO 21049/API 682 DATA SHEET

☒ Seal Plan: 11+53B

☒ Manufacturer: JohnCrane

SURFACE PREPARATION AND PAINT

☐ MANUFACTURER'S STANDARD

☒ OTHER (SEE BELOW)

SPECIFICATION NO.

YAP1-CTEP00-SAMW-SPPA-1001

PUMP:

☐ PUMP SURFACE PREPARATION

☐ PRIMER

☐ FINISH COAT

BASEPLATE: (6.3.17)

☐ BASEPLATE SURFACE PREPARATION

☐ PRIMER

☐ FINISH COAT

☒ DETAILS OF LIFTING DEVICES(6.3.20)

SHIPMENT: (7.4.1)

☐ DOMESTIC

☒ EXPORT

☒ EXPORT BOXING REQUIRED

☒ OUTDOOR STORAGE MORE THAN 12 MONTHS

SPARE ROTOR ASSEMBLY PACKAGED FOR:

☐ SHIPPING CONTAINER (8.2.8.3)

☐ VERTICAL STORAGE (8.2.8.2)

☐ TYPE OF SHIPPING PREPARATION

☐ N2 PURGE (8.2.8.4)

HEATING AND COOLING

☐ HEATING JACKET REQ'D. (5.8.9)

☐ COOLING REQ'D.

☒ COOLING WATER PIPING PLAN (6.5.4.1)

C.W. PIPING:

☒ PIPE

☒ TUBING;

FITTINGS

C.W. PIPING MATERIALS:

☒ S. STEEL

☒ C. STEEL

☒ GALVANIZED

COOLING WATER REQUIREMENTS:

☐ BEARING HOUSING

(m³/h)

@

(bar)

☐ HEAT EXCHANGER

(m³/h)

@

(bar)

STEAM PIPING:

☐ TUBING

☐ PIPE

BEARINGS AND LUBRICATION

BEARING (TYPE/NUMBER) (5.10.1):

☒ RADIAL

Sliding Bearing

/

Z90(Sleeve type)

☒ THRUST

Antifriction bearing

/

7315BECBM

LUBRICATION (5.11.3, 5.11.4):

☒ RING OIL

☐ HYDRODYNAMIC

☐ PURGE OIL MIST

☐ PURE OIL MIST

☒ CONSTANT LEVEL OILER PREFERENCE (5.10.2.2):

☒ PRESSURE LUBE SYS.ISO13709-3

☐ ISO 13709-2 (8.2.6.1/8.2.6.5)

☒ OIL VISC. ISO GRADE

VG46

☐ OIL PRESS. TO BE GREATER THAN COOLANT PRESSURE

☐ REVIEW AND APPROVE THRUST BEARING SIZE(8.2.5.2.4)

☒ OIL HEATER REQUIRED:

☐ STEAM

☐ ELECTRIC

INSTRUMENTATION (6.4.2)

☐ SEE ATTACHED API-670 DATA SHEET

☐ ACCELEROMETER(S) (6.4.2.1)

☒ VIBRATION PROBES

2

PER NDE BRG HOUSING.

2

PER DE BRG HOUSING.

☐ PROVISION FOR MOUNTING ONLY (5.10.2.10)

☐ FLAT SURFACE REQ'D (5.10.2.11)

☐ RADIAL BEARING METAL TEMP.

☐ THRUST BRG METAL TEMP.

☐ TEMP. GAUGES (WITH THERMOWELLS)

☐ PRESSURE GAUGE TYPE

☒ MONITORS AND CABLES SUPPLIED BY (6.4.3.3)

PUMP SUPPLIER

REMARKS

More information refer to the PID accordingly.

WEIGHTS (kg)

PUMP

5880

BASEPLATE

2200

DRIVER

3800

TOTAL

12180

Pipe

300

SPARE PARTS (TABLE 18)				QA INSPECTION AND TESTING (CONT.)			
2		<input checked="" type="radio"/> START-UP	<input checked="" type="radio"/> NORMAL MAINTENANCE	TEST (7.3.1.2)	NON-WIT	WIT	OBSERVE
3		<input checked="" type="radio"/> SPECIFY	<u>2 YEARS OPERATING SPARE PARTS</u>	<input checked="" type="radio"/> HYDROSTATIC (7.3.2)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
4				<input checked="" type="radio"/> PERFORMANCE (7.3.3)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
5		OTHER PURCHASER REQUIREMENTS		<input checked="" type="radio"/> NPSH (7.3.4.2)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
6		<input checked="" type="radio"/> COORDINATION MEETING REQUIRED (9.1.3)		<input checked="" type="radio"/> RETEST ON SEAL LEAKAGE (7.3.3.2d)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
7		<input checked="" type="radio"/> MAXIMUM DISCHARGE PRESSURE TO INCLUDE (5.3.2)		<input checked="" type="radio"/> RETEST REQUIRED AFTER FINAL	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
8		<input checked="" type="radio"/> MAX RELATIVE DENSITY		HEAD ADJUSTMENT (7.3.3.5b)			
9		<input checked="" type="radio"/> MAX DIA. IMPELLERS AND/OR NO OF STAGES		<input checked="" type="radio"/> COMPLETE UNIT TEST (7.3.4.3)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
10		<input type="radio"/> OPERATION TO TRIP SPEED		<input checked="" type="radio"/> SOUND LEVEL TEST (7.3.4.4)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
11		<input type="radio"/> CONNECTION DESIGN APPROVAL (5.12.3.4/8.2.1.4)		<input checked="" type="radio"/> CLEANLINESS PRIOR TO	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
12		<input type="radio"/> INERT GAS INHIBITED STORAGE OF SPARE CARTRIDGE (8.2.8.3)		FINAL ASSEMBLY (7.2.2.2)			
13		<input type="radio"/> TORSIONAL ANALYSIS REQUIRED (5.9.2.1)		<input type="radio"/> NOZZLE LOAD TEST (6.3.6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
14		<input type="radio"/> TORSIONAL ANALYSIS REPORT (5.9.2.6)		<input type="radio"/> CHECK FOR CO-PLANAR	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
15		<input checked="" type="radio"/> PROGRESS REPORTS (9.3.3)		MOUNTING PAD SURFACES (6.3.3)			
16		<input checked="" type="radio"/> OUTLINE OF PROCEDURES FOR OPTIONAL TESTS (9.3.5)		<input type="radio"/> MECHANICAL RUN UNTIL OIL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
17		<input checked="" type="radio"/> ADDITIONAL DATA REQUIRING 20 YEARS RETENTION (7.2.2.1f)		TEMP. STABLE			
18		<input checked="" type="radio"/> LATERAL ANALYSIS REQUIRED (8.2.4.1 / 8.2.4.1.3)		<input checked="" type="radio"/> 4 HR. MECHANICAL RUN AFTER	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
19		<input checked="" type="radio"/> DYNAMIC BALANCE ROTOR (8.2.4.2)		OIL TEMP. STABLE			
20		MANIFOLD PIPING TO SINGLE CONNECTION (6.5.1.6)		<input type="radio"/> 4 HR. MECH. RUN TEST(7.3.4.7.2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
21		<input type="radio"/> VENT <input checked="" type="radio"/> DRAIN <input type="radio"/> COOLING WATER		<input type="radio"/> TRUE PEAK VELOCITY	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
22		<input checked="" type="radio"/> MOUNT SEAL RESERVOIR OFF BASEPLATE (6.5.1.4)		DATA (7.3.3.4e)			
23		<input checked="" type="radio"/> FLANGES REQUIRED IN PLACE OF SOCKET WELD UNIONS (6.5.2.8)		<input type="radio"/> BRG HSG RESONANCE	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
24		CONNECTION BOLTING		TEST (7.3.4.6)			
25		<input type="radio"/> PTFE COATING <input type="radio"/> ASTM A153 GALVANIZED		<input checked="" type="radio"/> REMOVE / INSPECT	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
26		<input checked="" type="radio"/> <input type="radio"/> PAINTED <input checked="" type="radio"/> SS		HYDRODYNAMIC BEARINGS			
27		<input checked="" type="radio"/> INSTALLATION LIST IN PROPOSAL (9.2.3L)		AFTER TEST (8.2.7.5)			
28		QA INSPECTION AND TESTING		<input type="radio"/> AUXILIARY EQUIPMENT	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
29		<input checked="" type="radio"/> SHOP INSPECTION (7.1.4)		TEST (7.3.4.5) (Note 1)			
30		<input checked="" type="radio"/> PERFORMANCE CURVE APPR.		<input checked="" type="radio"/> CHARPY TEST (EN 13445/ASME VIII)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
31		<input checked="" type="radio"/> TEST WITH SUBSTITUTE SEAL (7.3.3.2)		<input type="radio"/> OIL SYSTEM CLEANLINESS (Note 1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
32		<input checked="" type="radio"/> MATERIAL CERTIFICATION REQUIRED (5.12.1.8)		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
33		<input checked="" type="radio"/> CASING <input checked="" type="radio"/> IMPELLER <input checked="" type="radio"/> SHAFT		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
34		<input checked="" type="radio"/> OTHER <u>PER APPROVED QUALITY PLAN</u>		<input checked="" type="radio"/> VENDOR KEEP REPAIR AND HT RECORDS (7.2.1.1c)			
35		<input checked="" type="radio"/> CASTING REPAIR PROCEDURE APPROVAL REQ'D (5.12.2.5)		<input checked="" type="radio"/> VENDOR SUBMIT TEST PROCEDURES (7.3.1.2 / 9.2.5)			
36		<input checked="" type="radio"/> INSPECTION REQUIRED FOR CONNECTION WELDS (5.12.1.5)		<input checked="" type="radio"/> VENDOR SUBMIT TEST DATA WITHIN 24 HOURS (7.3.3.3c)			
37		<input checked="" type="radio"/> MAG PARTICLE <input checked="" type="radio"/> LIQUID PENETRANT		<input checked="" type="radio"/> INCLUDE PLOTTED VIBRATION SPECTRA (5.9.3.3)			
38		<input checked="" type="radio"/> RADIOGRAPHIC <input type="radio"/> ULTRASONIC		<input checked="" type="radio"/> RECORD FINAL ASSEMBLY RUNNING CLEARANCES			
39		<input checked="" type="radio"/> INSPECTION REQUIRED FOR CASTINGS (7.2.1.3)(5.12.1.5)		<input checked="" type="radio"/> COMPLETION OF INSPECTION CHECK LIST (7.1.6)			
40		<input type="radio"/> MAG PARTICLE <input checked="" type="radio"/> LIQUID PENETRANT					
41		<input checked="" type="radio"/> RADIOGRAPHIC <input type="radio"/> ULTRASONIC					
42		<input type="radio"/> HARDNESS TEST REQUIRED: _____ (7.2.2.3)					
43		<input type="radio"/> ADDITIONAL SUBSURFACE EXAMINATION (7.2.1.1)					
44		FOR <u>Shaft</u>					
45		METHOD <u>Ultrasonic</u>					
46		REMARKS					
47		Note 1: There is no oil system and control system for these pumps.					
48							
49							
50							
51							
52							
53							
54							
55							
56							
57							
58							
59							
60							
61							

1	PRESSURE VESSEL DESIGN CODE REFERENCES.			
2	<input type="checkbox"/> THESE REFERENCES MUST BE LISTED BY THE MANUFACTURER			
3	PRESSURE VESSEL DESIGN STANDARD USED TO DESIGN PRESSURE CASING(5.3.4)		<input type="checkbox"/>	
4	CASTING FACTORS USED IN DESIGN( 5.3.2)(TABLE 2)		<input type="checkbox"/>	
5	SOURCE OF MATERIAL PROPERTIES		<input type="checkbox"/>	
6				
7	WELDING AND REPAIRS (5.12.3.1)			
8	THESE REFERENCES MUST BE LISTED BY THE PURCHASER. (DEFAULT TO TABLE 9 IF NO PURCHASER PREFERENCE IS STATED)			
9	<input type="radio"/> ALTERNATE WELDING CODES AND STANDARDS (5.12.3.1)			
10	Welding Requirement (Applicable Code or Standard)		Purchaser defined	Default per Table 10
11	Welder/operator qualification		<input type="radio"/>	<input checked="" type="radio"/>
12	Welding procedure qualification		<input type="radio"/>	<input checked="" type="radio"/>
13	Non-pressure retaining structural welding such as baseplates or supports		<input type="radio"/>	<input checked="" type="radio"/>
14	Magnetic particle or liquid penetrant examination of the plate edges		<input type="radio"/>	<input checked="" type="radio"/>
15	Postweld heat treatment		<input type="radio"/>	<input checked="" type="radio"/>
16	Postweld heat treatment of casing fabrication welds		<input type="radio"/>	<input checked="" type="radio"/>
17				
18	MATERIAL INSPECTION (7.2.2.1)(7.2.1.3)			
19	THESE REFERENCES MUST BE LISTED BY THE PURCHASER (DEFAULT TO TABLE 13 IF NO PURCHASER PREFERENCE IS STATED)			
20	<input type="radio"/> ALTERNATIVE MATERIAL INSPECTIONS AND ACCEPTANCE CRITERIA (SEE TABLE 13)			
21	Type of inspection	Methods	For fabrications	Castings
22	Radiography	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
23	Ultrasonic inspection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
24	Magnetic particle inspection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
25	Liquid penetrant inspection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
26	REMARKS			
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				