

| Sr. No. | Description                                           | Quantity Required |
|---------|-------------------------------------------------------|-------------------|
| 1       | Pressure Switches<br>Set Point: 3.5 Bar               | 3                 |
| 2       | Pressure Switches<br>Set Point: 5 Bar                 | 3                 |
| 3       | Pressure Switches<br>Set Point: 6 Bar                 | 2                 |
| 4       | Pressure Switches<br>Set Point: 8 Bar                 | 2                 |
| 5       | Pressure Switches<br>Set Point: -8900 mmWG            | 6                 |
| 6       | Pressure Switches<br>Set Point: -6500 mmWG            | 2                 |
| 7       | Pressure Switches<br>Set Point: -3500 mmWG            | 3                 |
| 8       | Pressure Switches<br>Set Point: -1800 mmWG            | 2                 |
| 9       | Pressure Switches<br>Set Point: -50 mmWG              | 2                 |
| 10      | Differential Pressure Switches<br>Set Point: 0 mmWG   | 2                 |
| 11      | Differential Pressure Switches<br>Set Point: 50 mmWG  | 8                 |
| 12      | Differential Pressure Switches<br>Set Point: 65 mmWG  | 3                 |
| 13      | Differential Pressure Switches<br>Set Point: 100 mmWG | 5                 |
| 14      | Differential Pressure Switches<br>Set Point: 250 mmWG | 5                 |

**Technical Specifications are enclosed.**

**Make: Solon, Dwyer, Georgin, Omega or Equivalent**



|                |    |      |          |            |        |
|----------------|----|------|----------|------------|--------|
| PROJECT: _____ |    |      |          |            |        |
| No.            | By | Date | Revision | Sheet      | 1 of 1 |
|                |    |      |          | Made By    | Date   |
|                |    |      |          | Checked by | Date   |
|                |    |      |          | Appr. By   | Date   |

## SWITCH

9. Type: Mercury ☐ Snap ☐ Other Qty  
10. Quantity: Single ☒ Dual ☐  
11. Form: SPST ☐ SPDT ☒ DPDT ☐ Other \_\_\_\_\_  
12. Rating: 1 AMP 24 Volts DC  
Other Electrical Connection:  
13. Load: Inductive ☒ Non-Inductive ☐  
14. Enclosure: General Purpose ☐ Weather Proof ☒  
None ☐ Explosion Proof ☐ Class ☐  
15. Conduit Connection: MFR STD ☐ Other 1/2" NPTF  
16. Mechanism Material: MFR STD  
17. Manufacturer & Model No.

[illegible]