

SI/#	ITEM CODE	DESCRIPTION	QUANTITY
1	99-21-1103630-65	) CARBON STEEL PRODUCTS) FLAT BAR/ STRIP, MATERIAL: A-36 BAR,FLAT: WIDTH:65MM LENGTH:6M THICKNESS:10MM SIZE:65MMX10MM MATERIAL:CS SPECIFICATION:ASTM A36 GRADE:NA	12 / METER
2	99-21-1101018-12	) CARBON STEEL PRODUCTS) STEEL GRATING GRATING: TYPE/APPLICATION:NA SIZE:2000MM X 1000MM X 25MM MATERIAL:GALV STEEL	13 / EACH
3	99-21-9999999-50	) MARI GAS PROJECT) MISC. ROUND BAR CS; DIA:20MM; MATERIAL: A36	12 / METER
4	99-21-1100010-01	CFFT: MTC TO BE PROVIDED ALONGWIHT MATERIAL SUPPLY.)CARBON STEEL PRODUCTS MATERIAL MUST BE SUPPLIED IN FLAT BED TRUCK MTC MANDATORY) ANGLE IRON MATERIAL ASTM A-36 LENGTH: 6 METER SIZE (MM X MM X MM) ANGLE,STRUCTURAL: WIDTH:50MM LENGTH:6 M THICKNESS:6MM SIZE:50MMX6MM WEIGHT:NA PROCESS:NA MATERIAL:CS SPECIFICATION:ASTM A36	24 / METER
5	99-21-1100010-08	TEXT:ANGLE IRON , SIZE AS " 50 X 50 X 6 MM ANGLE,STRUCTURAL: WIDTH:25MM LENGTH:6 M THICKNESS:5MM SIZE:25MMX5MM WEIGHT:NA PROCESS:NA MATERIAL:CS SPECIFICATION:ASTM A36	12 / METER
6	99-21-1100010-24	TEXT:ANGLE IRON ,SIZE AS "25 X 25 X 5MM" ANGLE,STRUCTURAL: WIDTH:65MM LENGTH:6 M THICKNESS:6.5MM SIZE:65MMX6.5MM WEIGHT:NA PROCESS:NA MATERIAL:CS SPECIFICATION:ASTM A36	30 / METER

TEXT:ANGLE IRON , SIZE "65 X 65 X 6.5 MM"			
7	99-21-1100015-03	)CARBON STEEL PRODUCTS MATERIAL MUST BE SUPPLIED IN FLAT BED TRUCK MTC MANDATORY) BEAM WITH W STANDARD MATERIAL : ASTM A36 BEAM,STRUCTURAL: TYPE:**** DEPTH:**** FLANGE WIDTH:W 4 LENGTH:6M SIZE:**** WEIGHT:13 LBS/FT MATERIAL:CS SPECIFICATION:ASTM A36 GRADE:STRUCTURAL	12 / METER
8	99-21-1100060-24	)CARBON STEEL PRODUCTS MATERIAL MUST BE SUPPLIED IN FLAT BED TRUCK MTC MANDATORY) TEE IRON MATERIAL ASTM A-36 SIZE (MM X MM X MM) ANGLE,STRUCTURAL: WIDTH:100MM LENGTH:6M THICKNESS:6MM SIZE:100MMX6MM WEIGHT:NA PROCESS:NA MATERIAL:CS SPECIFICATION:ASTM A36	18 / METER
TEXT:T - IRON			
9	99-21-1100021-06	)CARBON STEEL PRODUCTS MATERIAL MUST BE SUPPLIED IN FLAT BED TRUCK MTC MANDATORY)SHEET MATERIAL A-36; HR-235 PLATE: TYPE/APPLICATION:**** SIZE:1220MMX2440X6MM MATERIAL:CS 235 HRC SPECIFICATION:ASTM A36 GRADE:NA	2 / SHEET
10	99-21-1100021-10	PLATE,METAL: SIZE:1220MMX2440X10MM MATERIAL:HR-235 SPECIFICATION:ASTM A36 GRADE:****	2 / SHEET
11	99-23-1050066-68	)HEXAGONAL HEAD BOLT WITH NUT (WITH DIFFERENT THREAD LENGTH) MTC'S ARE MANDATORY REQUIRED IN ASSEMBLED FORM)BOLT MATERIAL : ASTM A-325 TYPE 3 NUT MATERIAL : ASTM A-563 GRADE : C3 NUT STANDARD : ASME B18.2.4 THREAD TYPE : MATRIC THREAD STANDARD : ASME B1.20.1 BOLT: DIAMETER:M20	20 / SET

		LENGTH:55MM SIZE:40MM THD LG THREADS:MATRIC HEAD:HEX MATERIAL SPECIFICATION:ASTM A325 MATERIAL GRADE:TYPE 3 MATERIAL:WEATHERING CARBON STEEL TEXT:WITH NUT ,REQUIRED IN ASSEMBLED FORM NUT MATERIAL : ASTM A-563 GRADE : C3)PIPE SEAMLESS MATERIAL : CS ASTM A53 GRADE B TYPE S AS PER ASME B36.10, BE) SCH - 40	
12	99-16-1112060-12	PIPE: TYPE/APPLICATION:INDUSTRIAL SIZE:1-1/4" LENGTH:STANDARD ENDS:BE/PE AS PER STD RATING:SCH 40 MATERIAL SPECIFICATION:ASTM A53 MATERIAL GRADE:B TYPE S MATERIAL:CS STRUCTURE:SEAMLESS	24 / METER
DIRECT CHARGE ITEMS			
13	99-98-9810010-01	STRAINER, PIPING: SIZE: 2" CONNECTION FLG PRESSURE RATING: 150 LB BODY MATERIAL: CS ASTM A216 GR. WCB TYPE/APPLICATION: Y	7 / EACH
14	99-98-9810010-01	GLASS,SIGHT FLOW: SIZE:1" FLANGE LENGTH; **** CONNECTION:1" 150 LB RF FLG RATING:150 LB MATERIAL:TOUGHENED BOROSILICATE GLASS, STEEL CASTING BODY, VITON ELASTOMER COLOR:TRANSPARENT TYPE/APPLICATION:OIL	13 / EACH

NOTE: