




8 Nos. of through
Hole of $\phi 16$
at PCD of $\phi 203$




5.00
Inset Distance




ISOMETRIC VIEW

















Through Hole of $\phi 10.2$



NOTES:-

1. ALL DIMENSIONS ARE IN MM
UNLESS SPECIFIED
2. ALL HOLES ARE THROUGH HOLES
UNLESS SPECIFIED
3. REMOVE ALL SHARP EDGES
4. DO NOT SCALE THE DRG
5. IN CASE OF ANY DOUBT ASK
6. UNSPECIFIED CHAMFERS ARE OF 0.5x45°.
7. UNSPECIFIED RADIUS AND FILLETS ARE OF R0.5
8. TOLERANCE ON EACH CO-ORDINATES IS ± 0.100
UNLESS SPECIFIED



MATERIAL :				000	INITIAL RELEASE			
HARDNESS :				REV	APR	DESCRIPTION	BY	DATE
		SIGN		DATE		RELEASED		
DRWN BY.		MS		11-NOV-17				
CHEKD.BY		MMS						
APRVD.BY		MMS						
OPEN TOLERANCE (DIN 7168 PART-1)								
0.50 TO 6.00 ± 0.10		FILING	MACHINING	FINE MACHINING	GRINDING	HONING		
6.00 TO 30.00 ± 0.20								
30.00 TO 120.00 ± 0.30								
120.00 TO 400.00 ± 0.50								
PART NAME					PART NO.: 57-7_KEY-3			
CONDITION					READY FOR ASSEMBLY			
OPERATION					BOUGHT OUT			
SHEET: 1 OF 1					REV. 000			
WEIGHT : 31.062 Kg.					SCALE NTS			

THIS DRAWING IS CONFIDENTIAL ANY MAY NOT BE MADE USE OF OR COMMUNICATED TO THIRD PARTIES WITH OUT OUR WRITTEN PERMISSION