

High Density Polyethylene (HDPE) Slab

ASTM: D-1248, Class: A (natural color white), Type: IV

Density: 0.960 g/cm³ to higher, Appearance: Wax like and opaque.

Working Temperature: 80° Melting Point: 135°C, tensile Strength: 4500-4550 Psi

Hardness: SD65, it should be excellent chemical resistant

It should be free of cadmium as impurity.

All slabs should be in perfect rectangle, normal to each other and cut to exact required size.


Sr. No.	Description	Quantity Nos.
Slab: Length x Height x Thickness (mm)		
1	Slab: 240 x 1680 x 50	2
2	Slab: 1600 x 1220 x 80	2
3	Slab: 1600 x 1205 x 80	2
4	Slab: 1680 x 1190 x 80	2
5	Slab: 1080 x 850 x 80	2
6	Slab: 1000 x 690 x 80	8
7	Slab: 600 x 690 x 80	8
8	Slab: 600 x 610 x 80	2
9	Slab: 1000 x 850 x 80	2
10	Slab: 410 600 x 80	2
11	Slab: 410 x 665 x 80	2
12	Slab: 615 x 245 x 80	2
13	Slab: 845 x 230 x 80	2
14	Slab: 675 x 215 x 80	2
15	Slab: 205 x 635 x 80	2
16	Slab: 235 x 650 x 80	2
17	Slab: 265 x 665 x 80	2
18	Slab: 95 x 310 x 80	2
19	Slab: 110 x 325 x 80	2
20	Slab: 125 x 340 x 80	2
21	Slab: 110 x 310 x 80	2
22	Slab: 125 x 325 x 80	2
23	Slab: 140 x 340 x 80	2
24	Slab: 205 x 410 x 80	2
25	Slab: 235 x 395 x 80	2
26	Slab: 265 x 380 x 80	2
27	Slab: 165 x 1600 x 80	2
28	Slab: 150 x 150 x 80	2
29	Slab: 285 x 1680 x 80	2
30	Slab: 1800 x 1600 x 80	9
31	Slab: 500 x 3185 x 80	1
32	Slab: 500 x 3365 x 80	1
33	Slab: 500 x 3280 x 80	3

34	Slab: 500 x 3200 x 80	2
35	Slab: 490 x 765 x 80	1
36	Slab: 500 x 840 x 80	2
37	Slab: 490 x 625 x 80	4
38	Slab: 500 x 625 x 80	8
39	Slab: 500 x 855 x 80	2
40	Slab: 490 x 775 x 80	1
41	Slab: 500 x 725 x 80	4
42	Slab: 490 x 725 x 80	2
43	Slab: 1005 x 3185 x 80	1
44	Slab: 1000 x 3265 x 80	3
45	Slab: 1005 x 3050 x 80	1
46	Slab: 1000 x 3050 x 80	2
47	Slab: 1005 x 2250 x 80	1
48	Slab: 1000 x 3280 x 80	4
49	Slab: 1005 x 3200 x 80	1
50	Slab: 1000 x 2250 x 80	2
51	Slab: 335 x 1760 x 50	2
52	Slab: 315 x 1760 x 50	2
53	Slab: 295 x 1760 x 50	2
54	Slab: 2010 x 1760 x 50	4
55	Slab: 1160 x 1760 x 50	1
56	Slab: 1970 x 1760 x 50	4
57	Slab: 1120 x 1760 x 50	1
58	Slab: 1930 x 1760 x 50	4
59	Slab: 1080 x 1760 x 50	1
60	Slab: 400 x 1760 x 50	2
61	Slab: 360 x 1760 x 50	2
62	Slab: 320 x 1760 x 50	2
63	Slab: 465 x 1760 x 50	1
64	Slab: 425 x 1760 x 50	1
65	Slab: 385 x 1760 x 50	1
66	Slab: 320 x 1050 x 50	8
67	Slab: 360 x 1030 x 50	8
68	Slab: 400 x 1010 x 50	8
69	Slab: 160 x 710 x 50	16
70	Slab: 180 x 730 x 50	16
71	Slab: 200 x 750 x 50	16
72	Slab: 170 x 340 x 50	16
73	Slab: 150 x 150 x 80	16
74	Slab: 885 x 2300 x 80	1
75	Slab: 865 x 2300 x 80	1


76	Slab: 845 x 2300 x 80	1
77	Slab: 960 x 2300 x 80	1
78	Slab: 980 x 2300 x 80	1
79	Slab: 1000 x 2300 x 80	35
80	Slab: 150 x 80 x 80	2
81	Slab: 100 x 600 x 55	8
82	Slab: 100 x 2000 x 55	6
83	Slab: 60 x 600 x 50	8
84	Slab: 60 x 2000 x 50	6
85	Slab: 60 x 1000 x 50	3
86	Slab: 100 x 1000 x 55	3
87	Slab: 675 x 80 x 80	2
88	Angle-Form 240 x 150 x 50 x 80mm , Length: 3265mm	1
89	Angle-Form 240 x 150 x 50 x 80mm , Length: 3050mm	1
90	Angle-Form 240 x 150 x 50 x 80mm , Length: 2250mm	1
91	Angle-Form 240 x 150 x 50 x 80mm , Length: 2000mm	1
92	Angle-Form 240 x 150 x 50 x 80mm , Length: 3280mm	1

Chemical analysis report should be provided by the supplier.
 Pre- Shipment inspection of required store by 2 engineers at supplier premises with air ticket & boarding / lodging on buyer's expense.


Annexure-B



Slab



Slab



Angle Form

Note:
All dimensions are in "mm" unless otherwise specified