






Isometric view
Scale: 4:1



NOTES:

1. ALL MATERIALS MUST COMPLY WITH ES100118.
2. THIS DRAWING IS BASED ON ONE OR MORE REFERENCE 3D MODELS WHICH DEFINE ANY UNDIMENSIONED FEATURE. REFER TO THE STANLEY BLACK & DECKER PLM SYSTEM TO IDENTIFY ASSOCIATED 3D MODELS. A PROFILE TOLERANCE OF $\pm 0.3 \text{ A B C}$ CENTERED ABOUT NOMINAL APPLIES TO ALL CAD 3D MODEL DATA UNLESS OTHERWISE SPECIFIED.
3. MATERIAL: ASTM B103 GRADE C51100 PHOSPHOR BRONZE H10 EXTRA - SPRING HARD TEMPER (REFERENCE HARDNESS HR 30T 78-82)
ALTERNATE: JIS H3110 GRADE C5111 SH TEMPER (REFERENCE HARDNESS HV 200G 200 MINIMUM) 1.80 ± 0.01 mm THICK
4. PLATING: NONE
5. PART MUST BE CLEAN AND FREE OF BURRS AND SHARP EDGES.
6. SURFACE FINISH: ROUGH TEXTURE AND WATER STAINS DUE TO TUMBLE DE-BURR PROCESS IS ACCEPTABLE.



GENERATED FROM: 3D	THIRD ANGLE PROJECTION	TOL UNLESS SPECIFIED 0 & 1 PLC DEC: ± N/A 2 PLC DEC: ± N/A ANGLES: ± N/A	BLACK & DECKER INC.
THIS DOCUMENT IS THE PROPERTY OF BLACK & DECKER INC. THE CONTENTS OF THIS DOCUMENT ARE CONFIDENTIAL AND CONSTITUTE TRADE SECRETS PROPRIETARY TO BLACK & DECKER INC. NEITHER THIS DOCUMENT NOR ITS CONTENTS SHALL BE DISCLOSED TO ANY UNAUTHORIZED PERSON, COPIED OR PUBLISHED WITHOUT PRIOR WRITTEN CONSENT OF BLACK & DECKER INC.		ALL DIMENSIONS mm	DOC NO: N411173-C2D1
COPYRIGHT © 2014 BLACK & DECKER INC.		SIZE: A1 REF SCALE: 1:1 SHEET: 1 OF 1	TITLE: TOOL TERMINAL 20V+ REVISION: *** VER/ITER: *** CHANGE: NULL
			*** FOR PART DATA REFER TO PART DETAILS REPORT