


Electronic Tools



Angle Grinder

Page 16/100




**Hammer and Impact Drills,
Sheet-metal Shears**

Page 16/101




Impact Wrench

Page 16/106




Grinding Machines

Page 16/142



Vacuum Cleaner

Page 16/149



**Heat Guns,
Detachment Tools**

Page 16/172

Wall Chaser WCS 45

- High-performance wall chaser - the ideal tool for electric installation
- Overload protection
- Easy and precise adjustment of cutting widths and depths
- Effective dust extraction due to closed protective cover and straight suction channel
- Spindle locking for quick disc replacement
- Adjustable handle with Softgrip-support

Technical Data

Power consumption:	1.900 W
Disc diameter:	150 mm
Idle speed:	5800 rpm
Max. cutting width:	6-45 mm
Max. cutting depth:	0-45 mm
Weight:	6.6 kg



Article No.	Article Description	QTY
5326 45150	WALL CHASER MS 150 ROBUST	1

Included in delivery:

- Power cable 4 m
- 2 Diamond cutting disc DSU
- Additional handle
- Clamping wrench
- Stripping tool
- Transport case

Agitator 850 Watt

- Housing and metal protection frame are impact-resistant
- Ergonomic handle with arresting knob makes comfortable working and smooth running possible
- M14 intake for direct power transmission and quick tool change
- Including agitator-Ø 120 mm (pulling method)

Fields of application:

- Tile adhesives, adhesive mortar, grout, paints and dispersions



Technical Data

Power consumption:	850 Watt
Idle speed:	max. 400 rpm
Machine chuck:	M14
Max. agitator-Ø:	120 mm
Protection type:	II

Article No.	Article Description	QTY
5326 850	AGITATOR 850W	1

Agitator 1600 Watt

- High-performance engine with soft start
- Ergonomic handle
- Air supply for optimum engine cooling
- M14 intake for direct power transmission and quick tool change
- Including agitator-Ø 120 mm (pulling method)

Fields of application:

- Light to heavy mixing works of plaster, mortar, construction adhesive, filler etc.

Technical Data

Power consumption:	1600 Watt
Idle speed:	1. speed 150 - 300 rpm 2. speed 300 - 650 rpm
Machine chuck:	M14
Max. agitator-Ø:	120 mm
Protection type:	II

Article No.	Article Description	QTY
5326 1600	AGITATOR 1600W	1



Straight Grinder 906

- Universal grinder for grinding off, trimming and milling
- Clean cut due to high rotation speed of 25,000 1/min.
- Long grinding spindle allows for internal grinding
- Exact, vibration-free rotation due to 4 bearings

Technical Data	
Performance:	240 W
Idle speed:	25.000 1/min.
Chuck:	6 mm Ø
Weight:	0.9 kg

Article No.	Article Description	QTY
5320 906	STRAIGHTGRINDER906	1



Double Grinding Machine DSM 150 W

Technical Data	
System voltage:	230 V
Performance:	520 W
Idle speed:	2.950 1/min.
Grinding discs:	D 150 x B 25 x 32 mm drilling
Grit:	P36/P60
Weight:	16 kg

Article No.	Article Description	QTY
5989 150 3	DOUBLE GRINDING BLOCK DSM 150W	1



Double Grinding Machine DSM 200D

Technical Data	
System voltage:	400 V
Performance:	900 W
Idle speed:	2.950 1/min.
Grinding discs:	D 200 x B 32 x 32 mm drilling
Grit:	P36/P60
Weight:	28 kg

Article No.	Article Description	QTY
5989 200	DOUBLE GRINDING BLOCK DSM 200D	1



Electronic-Rotary-Polishing/ Grinder 9227 CB

- Professional machine for the surface treatment of paints, woods, metals and natural stones
- Electronic maximum rotation speed adjustable from 600 to 3.000 1/min using rotary knob. The speed is adjustable from 0 - 3.000c1/min using the electronic switcher
- Switch interlock for continuous operating
- Electronic rotary speed control for a consistent speed also under load
- Especially quiet due to the usage of sound-proof materials
- Engine and gear safely insulated against grinding dust



Technical Data

Power input:	1.200 Watt
Idle speed:	0-600 / 3.000 1/min
Grinding disc-Ø:	180 mm
Weight:	3.1 kg
Machine holder:	M14

Article No.	Article Description	QTY
5320 9227	POLISHING GRINDER 9227 CB	1
5320 9227 1	HANDLE INCL.SCREWS F.9227 CB	1

Included in delivery:

Side handle, polishing bonnet, grinding disc, centering tube, hexagonal wrench 6 mm

Additional accessories:

- Bracket handle incl screws, Art.-No. 5320 9227 1
- Suitable grinding disc Art.-No. 5934 1 KL-disc 173 M14 Flex

Eccentric/ Rotary Polishing Grinder BO6040

- For surface treatment of paints, plastics, woods and metals
- Idle speed can be regulated by means of a turning knob between 1600 - 5800 r.p.m.
- Switchable from eccentric to rotary motion
- Eccentric motion for groove-free fine grinding
- Rotary motion for rough grinding or polishing workings
- Disc brake for a groove-free grinding
- Constant electronic and bland starting
- Gear cap with rubber pad serves as additional handle for a sensitive working
- High engine smoothness because of vibration damping
- Abrasive paper polishing accessories gets fixed with Velcro fastener.



Technical Data

Power input:	750 W
Idle speed:	1600-5800 1/min
Eccentric rotary speed:	180-670 1/min
Grinding pass:	5.5 mm Ø
Disc size:	150 mm Ø
Punched hole:	6 L / 80 mm oder 8 L / 120 mm
Total length:	316 mm
Cable length:	4 m
Weight:	2.7 kg
Machine holder:	M8

Article No.	Article Description	QTY
5321 6040	ECCENTRIC/ROT.PO.GRIND.BO6040	1
5906 1	VELCRO BACK UP PAD 150 8/120	1
5937 1	VE.BACK UP PAD150 MULTI-H FLEX	1

Included in delivery:

Allen wrench 5 mm Hose adapter for 24 mm Ø hoses, transport case

Suitable grinding disc:

- Art.-No. 5906 1 KL disc Festo 150 8/120
- Art.-No. 5937 1 KL grinding disc 150 multihole Flex

Orbital Sander 150 MM DW443

- Electronic smooth start and automatic constant speed
- Electronic speed control for temperature sensitive grinding and polishing
- Quick change of abrasive paper due to Klettfix-system

Technical Data

Power consumption:	530W
Vibrations:	8.400 - 15.200 1/min
Vibrations circuit:	5 mm
Grinding paper-Ø:	150 mm
Weight:	2.7 kg



Article No.	Article Description	QTY
5328 443	ORBITAL SANDER 150MM DW443	1
5328 3601	SANDING PAD DT3601	1

Delivery: including additional handle and dust catcher bag

Finishing Sander 9046

- Strong engine with 600 Watt for high removal performance
- Almost vibration-free run due to innovative dampening system
- Dust removal due to base plate or exhaust connectable
- Precise guide due to additional handle
- Abrasive paper changing due to clamping device or Klett
- Including abrasive paper set

Technical Data

Power consumption:	600 W
Oscillations:	6.000 1/min
Oscillatory circuit:	5 mm Ø
Paper size:	115 mm x 280 mm
Paper size Klett:	115 mm x 232 mm
Grinding surface:	115 mm x 229 mm
Weight:	3.3 kg



Article No.	Article Description	QTY
5320 9046	FINISHING SANDER 9046	1

Burnishing Machine

- For burnishing, polishing, smoothing, matting, texturing, roughing and deburring surfaces
- Without grinding agent

Technical Data

Power consumption	1200 Watt
Output	700 Watt
Max. tool-Ø	115 mm
Tool width	100 mm
Tool mount	19 mm
Speed range	1200 - 3700/min
Weight	3.1 kg



Article No.	Article Description	QTY
5331 1503	BURNISHING MACHINE LP 1503VR	1

Wash'n'Vacuum Cleaner

Complete accessory system for hygienic deep cleaning and daily care.

Spray extraction cleaner 4 in 1

- **1. Clean carpet** - spray and vacuum fibre-deep clean
 - **2. Care cushion** - spray and vacuum hygienic fresh
 - **3. Wipe hard floor** - spray and dry at the same time
 - **4. Vacuum all** - wet and dry, at any time
 - High dust retention
 - Good wet/dry cleaning
 - Easy spot removal
 - Easy to handle cleaning agent tank
 - Easy handling
 - Handle with cable tray for fitting of the connection lead
 - Suction pipe support at the back of the device for fitting of the suction hose
 - Robust stainless steel suction pipe
 - Splash-proof
 - 5 movable wheels
- Article No. 6100 1771**
- Dosage: 200 ml to 1 L water

Technical Data

High performance turbine:	max. 1400 Watt
Special pressure pump	
For permanent spraying:	4 bar
Fresh water tank:	10 L
Canister for wet and dry use:	30 L
Water absorption:	25 L
Connection lead:	6,25 m length
Weight:	10.3 kg
Colour red/black	

Article No.	Article Description	QTY
5337 30	WASH'N'VACUUM CLEANER SUPER30S	1
5337 5	PCK(5)PAPER FILTER BAG FOR 30S	1
6100 1771	WASH'N'VACUUM CONCENTRATE 1L	e 10

Included in delivery:

- A = 1 cushion tool
- B = 1 carpet tool
- C = 1 crevice tool
- D = 1 cushion-spray extraction tool
- E = 1 carpet-spray extraction tool
- F = 1 hard floor adaptor
- G = 1 tension ring
- H = 1 sponge filter
- I = 1 paper protection filter
- J = 1 paper filter bag
- 1x Art. No. 6100 1771 Bottle Concentrate for Vacuum Cleaner



All-purpose Vacuum Cleaner AS 1020 PH

- Powerful wet and dry vacuum cleaner
- Engine blower with with bypass cooling system
- 20 l - Special-plastic-container
- 2 large wheels, 1 castor
- Carrying handle, cable hook and storage space for tools
- Folded filter cartridge FP3600

Technical Data

Suction hose:	Ø 35 mm
Power consumption:	max. 1.200 Watt
Max. flow volume:	70 l/sec.
Max. vacuum:	171 mbar
Container volume:	max. 20 l - 15 l dust - 8 l water
Dimension LxWxH:	39 x 39 x 46 cm
Weight:	5.1 kg

Article No.	Article Description	QTY
5335 1 10 20	ALLPURPVACUUM AS 1020 PH	1

Set consists of:

- A) 1x Art. No. 5336 1 35 1 Suction hose dia. 35 mm, 1.75 m length
- B) 1x Art. No. 5336 2 35 1 Tubular handle dia. 35 mm
- C) 2x Art. No. 5336 2 35 6 Suction tube dia. 35 mm, 48 cm length
- D) 1x Art. No. 5336 3 35 8 Upholstery nozzle dia. 35 mm
- E) 1x Art. No. 5336 3 35 5 Crevice nozzle dia. 35 mm, 21 cm length
- F) 1x Art. No. 5336 3 35 1 Universal nozzle dia. 35 mm



All-Purpose Vacuum Cleaner AS-A-1020 PP

- Powerful wet and dry vacuum cleaner
- Engine blower with bypass cooling system
- 20 l special plastic container
- Cable plug
- Automatic switch
- 2 big wheels, 1 steering roller
- Carrying handle, cable hook and storage space for tools
- Folded filter cartridge FP 3600


Technical Data

Suction hose:	Ø 35 mm
Power consumption:	max. 1200 Watt
Max. volume flow:	70 l/sec.
Max. vacuum:	171 mbar
Container volume:	max. 20 l - 15 l dust - 8 l water
Measurement LxWxH:	39 x 39 x 46 cm
Weight:	5.1 kg

Article No.	Article Description	QTY
5335 1 10 20 35	ALL-PURP.VAC.CLEAN.AS-A-1020PP	1

Set consists of:

- A) 1x Art. No. 5336 1 35 2 Suction hose dia. 35 mm, 3.2 m length
- B) 1x Art. No. 5336 2 35 1 Plastic handle dia. 35 mm
- C) 2x Art. No. 5336 2 35 6 Plastic suction pipe dia. 35 mm, 48 cm length
- D) 1x Art. No. 5336 3 35 5 Crevice nozzle dia. 35 mm, 21 cm length
- E) 1x Art. No. 5336 3 35 7 Rubber nozzle dia. 35 mm, 23 cm length
- F) 1x Art. No. 5336 3 35 3 Universal nozzle dia. 35 mm, adjustable



Industrial Vacuum Cleaner GS 1032 ST

- Powerful universal industrial vacuum cleaner (wet/dry) for persistent dirt
- Engine blower with bypass cooling system
- 32 l - special plastic container
- 2 big wheels, 2 steering rollers
- Carrying handle, cable hook and storage space for tools
- Folded filter cartridge FP3600
- Overflow protection




Technical Data

Suction hose:	Ø 49 cm
Power consumption:	max. 1200W
Max. volume flow:	70 l/sec.
Max. vacuum:	171 mbar
Container volume:	max. 32 l - 27 l dust - 20 l water
Dimension LxWxH:	45 x 39 x 59 cm
Weight:	9.5 kg

Article No.	Article Description	QTY
5335 2 10 32	IND.VACUUM GS 1032 ST	1

Set consists of:

- A) 1x Art. No. 5336 1 49 1 Suction hose dia. 49 mm, 1.75 m length
- B) 2x Art. No. 5336 2 49 1 Plastic suction pipe dia. 49 mm, 48 cm length
- C) 1x Art. No. 5336 3 49 3 Persistent dirt nozzle dia. 49 mm
- D) 1x Art. No. 5336 3 49 2 Crevice nozzle dia. 49 mm, 16 cm length
- E) 1x Art. No. 5336 3 49 1 Floor nozzle dia. 49 mm, 35 cm width



Industrial Vacuum Cleaner GS 1245 - Automotive

- Powerful wet/dry cleaner specially suitable for automotive sector
- 45 l-special plastic container
- 2 big wheels, 2 steering rollers with brake
- Carrying handle with cable hook
- Overflow protection
- Accessory depot/pipe holder
- Cellulose folded filter cartridge FP 7200 (7200 cm² filter surface)



Technical Data

Suction hose:	Ø 35 mm
Power consumption:	max. 1.400 Watt
Max. volume flow:	61 l/secs.
Max. vacuum:	248 mbar
Container volume:	max. 45 l - 40 l dust - 33 l water
Dimensions LxWxH:	49 x 39 x 67 cm
Weight:	14 kg

Article No.	Article Description	QTY
5335 2 12 45	1INDUSTR.VAC.CLEAN.GS 1245 AUTO	1

Set consists of:

- A) 1x Art. No. 5336 1 35 3 Suction hose dia. 35 mm, 5 m length
- B) 1x Art. No. 5336 3 35 10 Crevice nozzle dia. 35 mm, 37 cm length



Industrial Vacuum Cleaner GS L-1435 PZ

- Powerful professional industrial wet/dry vacuum cleaner, suitable for buildings, industry, petrol stations etc.
- 2-step engine blower with bypass cooling system and noise insulation
- 35 l stainless steel container
- With 4 castors
- Carrying handle, cable hook and storage space for tools
- Folded filter cartridge FP3600



Technical Data

Suction hose:	Ø 35 mm
Power consumption:	max. 1.600 Watt
Max. volume flow:	64 l/secs.
Max. vacuum:	259 mbar
Container volume:	max. 35 l . 30 l dust - 23 l water
Dimension LxWxH:	43 x 43 x 65 cm
Weight:	10 kg

Article No.	Article Description	QTY
5335 2 14 35 1	INDUST.VAC.CLEAN.GS L-1435 PZ	1

Set consists of:

- A) 1x Art. No. 5336 1 35 2 Suction tube dia. 35 mm, 3.2 m length
- B) 1x Art. No. 5336 2 35 2 Stainless steel carrying tube dia. 35mm
- C) 2x Art. No. 5336 2 35 4 Stainless steel suction tube, dia. 35 mm, 48 cm length
- D) 1x Art. No. 5336 3 35 16 Profi floor nozzle dia. 45 mm
- E) 1x Art. No. 5336 3 35 10 Crevice nozzle dia. 35 mm, 37 cm length
- F) 1x Art. No. 5335 3 35 15 Suction brush



Industrial Vacuum Cleaner GS 2078 I

- Powerful professional wet and dry vacuum cleaner, ideally suitable for the cleaning of buildings, industry, bodywork workshops, construction
- Two-stage engine blower with bypass cooling
- 78 l stainless steel container
- Tilttable chassis
- Carrying handle, cable hook and storage space for tools
- Folded filter cartridge FP 3200




Technical Data

Capacity:	max. 2.400 Watt
Max. volume flow:	2x 54 l/sec.
Max. vacuum:	205 mbar
Container volume:	max. 78 l gross 57 l / 50 l
Suction hose:	Ø 35 mm
Dimension LxWxH:	61 x 60 x 94 cm
Weight:	24 kg

Article No.	Article Description	QTY
5335 2 20 78 1	INDUSTR.VACU.CLEAN.GS 2078 PZ	1

Set consists of:

- A) 1x Art. No. 5336 1 35 2 Suction hose Ø 35 mm, 3.2 m length
- B) 1x Art. No. 5336 2 35 2 Stainless steel carrying tube Ø 35mm
- C) 2x Art. No. 5336 2 35 4 Stainless steel suction tube, Ø 35 mm, 48 cm length
- D) 2x Art. No. 5336 3 35 12 Floor nozzle Ø 35 mm, 37 cm width
- E) 1x Art. No. 5336 3 35 13 Bristle insert for floor nozzle
- F) 1x Art. No. 5335 3 35 14 Water insert for floor nozzle
- G) 1x Art. No. 5336 3 35 10 Crevice nozzle Ø 35 mm, 37 cm length
- H) 1x Art. No. 5335 3 35 15 Suction brush



Handcraft - Vacuum Cleaner HS AR-1432 EWSR

- Powerful wet and dry vacuum cleaner
- Two-stage engine blower with bypass cooling
- 32 l-special plastic container
- Automatic, electromagnetic impulse filter dedusting
- Connector with switch on function
- Plug fixation
- 2 big wheels, 2 steering rollers with brake
- Carrying handle with cable and hose reel und storage space for tools and small parts
- With soft start control and follow-up electronic control
- Anti-spill protection
- Paper filter bag
- Folded filter cartridge FPPR 3600



Technical Data

Suction hose:	Ø 35 mm
Capacity:	max. 1.400 Watt
Max. volume flow:	61 l/sec.
Max. vacuum:	248 mbar
Container volume:	max. 32 l gross - 27 l dust - 20 l water
Dimensions LxWxH:	39 x 45 x 62 cm
Weight:	10,0 kg

Article No.	Article Description	QTY
5335 2 14 32	HANDCRA.VAC.CLEAN.HS AR-1432 R	1

Set consists of:

- A) 1x Art. No. 5336 1 35 4 Suction tube red Ø 35 mm, 5 m length
- B) 1x Art. No. 5336 3 35 11 Rubber sleeve Ø 35 mm, stepped
- C) 1x Art. No. 5336 2 35 2 Handhold metal Ø 35 mm
- D) 2x Art. No. 5336 2 35 4 Stainless steel suction pipe Ø 35 mm, 48 cm length
- E) 1x Art. No. 5336 3 35 5 Crevice nozzle Ø 35 mm, 21 cm length
- F) 1x Art. No. 5336 3 35 12 Nozzle body Ø 35 mm, 37 cm width
- G) 1x Art. No. 5336 3 35 13 Hard floor insert for nozzle body



Handcraft - Vacuum Cleaner HS A-1445 EH

- Powerful wet and dry vacuum cleaner for craftsmen, industry, car body workshops etc.
- Two-stage engine blower with bypass cooling
- 45 l-special plastic container
- Connector
- Switch on function
- 2 big wheels, 2 steering rollers (with metal lock)
- Carrying handle with cable and hose reel and storage space for tools
- Polyester folded filter cartridge FPP 3600
- Anti-spill protection

Technical Data

Suction tube:	Ø 35 mm
Power:	max. 1.400 Watt
Max. volume flow:	61 l/sec.
Max. vacuum:	248 mbar
Container volume:	max. 45 l gross - 40 l dust - 33 l water
Size LxWxH:	39 x 49 x 70 cm
Weight:	14.0 kg

Article No.	Article Description	QTY
5335 2 14 45	HANDCRAFT-VAC.CLEA.HS A-1445EH	1

Set consists of:

- A) 1x Art. No. 5336 1 35 2 Suction hose Ø 35 mm, 3,2 m length
- B) 1x Art. No. 5336 2 35 1 Handhold plastic Ø 35 mm
- C) 2x Art. No. 5336 2 35 6 Suction pipe plastic Ø 35 mm, 48 cm length
- D) 1x Art. No. 5336 3 35 5 Crevice nozzle Ø 35 mm, 21 cm length
- E) 1x Art. No. 5336 3 35 7 Rubber nozzle Ø 35 mm, 23 cm length
- F) 1x Art. No. 5336 3 35 3 Universal nozzle Ø 35 mm, adjustable



Accessories



Article No.	Article Description	QTY
5336 1 25	SIDE LOCKING FOR 5336 3 12 25	1
5336 1 35	(PAIR)SIDE LOCKINGS FOR ISP	1
5336 1 35 1	SUCTION HOSE D 35MM L1.75M	1
5336 1 35 2	SUCTION HOSE D 35MM L 3.2M	1
5336 1 35 3	SUCTION HOSE D 35MM L 5.00M	1
5336 1 35 4	SUCTION HOSE D 35MM L5.00M RED	1
5336 1 49 1	SUCTION HOSE D 49MM L1.75M	1
5336 1 50	SIDE LOCKING FOR IS 1250/1050	1
5336 2 35 1	TUBULAR HANDLE D 35MM PLASTIC	1
5336 2 35 2	HANDLE TUBE D 35MM METAL	1
5336 2 35 4	SUCTION TUBE D35MM STEEL L48CM	1
5336 2 35 6	SUCT.TUBE D35MM PLASTIC 48CM	1
5336 2 49 1	SUCT.PIPE D49MM PLASTIC 48CM	1
5336 3 35 1	UNIVERSAL NOZZLE D35MM	1
5336 3 35 3	UNIVERSAL NOZZLE D35MM	1
5336 3 35 5	CREVICE NOZZLE D 35MM	1
5336 3 35 7	RUBBER NOZZLE D35MM	1
5336 3 35 8	UPHOLSTERY NOZZLE D35MM	1
5336 3 35 10	CREV.NOZ.D35MM F.GS 1245 AUTOM	1
5336 3 35 11	RUBBER SLEEVE D35MM	1
5336 3 35 12	NOZZLE BODY 35MM	1
5336 3 35 13	HARD FLOOR ADAP.F.5336 3 35 12	1
5336 3 35 14	WASSER INSERT FOR 5336 3 35 12	1
5336 3 35 15	SUCTION BRUSH 35MM	1
5336 3 35 16	PROFI FLOOR NOZZLE 45	1

Article No.	Article Description	QTY
5336 3 49 1	FLOOR NOZZLE D49MM F.GS1032 ST	1
5336 3 49 2	CREV.NOZZLE D49MM F.GS1032 ST	1
5336 3 49 3	ROUGH DIRT NOZZ.49 F.GS1032 ST	1
5336 3 35 8 1	PLUG-IN BRUSH F.UPHOLST.NOZZLE	1
5336 4 1200	FOAMED FILTER FSS 1200	1
5336 4 3000	TEXT.FILTER FST 3000K AS 1020	1
5336 4 3100	POLYESTER FILTER BAG FSP 3100	1
5336 4 3200	FOLDED FILTER FP3200 GS2078 GI	1
5336 4 3600	FOLDED FILTER FP 3600	1
5336 4 3600 1	FOLDED FILTER FPP 3600	1
5336 4 3600 2	FOLDED FILTER FPPR3600 F.HS AR	1
5336 4 4300	PAIR(2)FILTERCASSETTES FKP4300	1
5336 4 4300 1	PAIR(2)FILTERC.HEPA FKP4300	1
5336 4 7200	FOLDEDFILTER FP 7200 GSA1245EH	1
5336 5 20	PK(5)PAPER FILTER BAG FB 20	1
5336 5 25	PK(5)PAPER FILTER BAG FB 25	1
5336 5 32	PK(5)PAPER FILTER BAG FB 32/35	1
5336 5 35	PK(5)FLEECE FILTER BAG	1
5336 5 45	PK(5)PAPER FILTER BAG FB 45/55	1
5336 5 45 1	PK(3)WET FILTER BAG 2-LAYERED	1
5336 5 50	PK(5)PAPER FILTER BAG FB 50	1
5336 5 50 1	PK(5)EMPTYI.BAG F.IS ARH-1250	1
5336 5 50 2	PK(5)EMPTYI.BAG F.5336 3 10 50	1
5336 5 50 3	PK(5)EMPTYING BAG FOR ISP.	1
5336 5 78	PK(5)PAPER FILTER BAG FB 78	1

Accessories		Allpurp.cleaner AS 1020 PH Art.-Nr. 5335 1 10 20	Allpurp.cleaner AS A-1020 PP Art.-Nr. 5335 1 10 20 35	Indust. Cleaner GS 1032 ST Art.-Nr. 5335 2 10 32	Indust. Cleaner GS 1245 KFZ Art.-Nr. 5335 2 12 45 1	Indus. Cleaner GS L-1435 PZ Art.-Nr. 5335 2 14 35 1
Closures f. plastic container 20,32,45 l	Art.-Nr. 5336 1	X	X	X	X	
Closure lateral 2er set	Art.-Nr. 5336 1 25					
(Pair) closure latera f. ISP	Art.-Nr. 5336 1 35					
Suction hose Ø 35 mm, 1.75 m lang	Art.-Nr. 5336 1 35 1	X				
Suction hose Ø 35 mm, 3.2 m lang	Art.-Nr. 5336 1 35 2		X			X
Suction hose Ø 35 mm, 5 m lang	Art.-Nr. 5336 1 35 3				X	
Suction hose red Ø 35 mm, 5 m lang	Art.-Nr. 5336 1 35 4					
Suction hose Ø 49 mm, 1.75 m lang	Art.-Nr. 5336 1 49 1			X		
Closure lateral	Art.-Nr. 5336 1 50					
Handle plastic Ø 35 mm	Art.-Nr. 5336 2 35 1		X			
Handle metal Ø 35 mm	Art.-Nr. 5336 2 35 2	X				X
Suction tube steel Ø 35 mm, 48 cm long	Art.-Nr. 5336 2 35 4					X
Suction tube plastic Ø 35 mm, 48 cm long	Art.-Nr. 5336 2 35 6	X	X			
Suction tube plastic Ø 49 mm, 48 cm long	Art.-Nr. 5336 2 49 1			X		
Universal nozzle Ø 35 mm	Art.-Nr. 5336 3 35 1	X				
Universal nozzle Ø 35 mm, switchable	Art.-Nr. 5336 3 35 3		X			
Crevice nozzle Ø 35 mm, 21 cm long	Art.-Nr. 5336 3 35 5	X				
Rubber nozzle Ø 35 mm, 23 cm long	Art.-Nr. 5336 3 35 7					
Upholstery nozzle Ø 35 mm	Art.-Nr. 5336 3 35 8	X				
Crevice nozzle Ø 35 mm, 37 cm long	Art.-Nr. 5336 3 35 10				X	X
Rubber sleeve Ø 35 mm, stepped	Art.-Nr. 5336 3 35 11					
Nozzle body Ø 35 mm, 37 mm wide	Art.-Nr. 5336 3 35 12					
Hard floor adapter for nozzle body	Art.-Nr. 5336 3 35 13					
Water adapter for nozzle body	Art.-Nr. 5336 3 35 14					
Suction brush	Art.-Nr. 5336 3 35 15					X
Profi floor nozzle 45	Art.-Nr. 5336 3 35 16					X
Floor nozzle Ø 49 mm, 35 cm wide	Art.-Nr. 5336 3 49 1			X		
Crevice nozzle Ø 49 mm, 16 cm long	Art.-Nr. 5336 3 49 2			X		
Rough dirt nozzle Ø 49 mm	Art.-Nr. 5336 3 49 3			X		
Plug-in brush f. upholstery nozzle	Art.-Nr. 5336 3 3581	X				
Foamed filter FSS 1200	Art.-Nr. 5336 4 1200	X	X	X	X	X
Textile filter FST 3000K	Art.-Nr. 5336 4 3000	X	X			
Polyester filter bag FSP 3100	Art.-Nr. 5336 4 3100					
Folded filter bag FP 3200	Art.-Nr. 5336 4 3200					
Folded filter FP 3600	Art.-Nr. 5336 4 3600	X	X	X		X
Folded filter FPP 3600	Art.-Nr. 5336 4 3600 1					
Folded filter FPPR 3600	Art.-Nr. 5336 4 3600 2					
Filter cassettes FKP 4300	Art.-Nr. 5336 4 4300					
Filter cassettes HEPA FKP 4300	Art.-Nr. 5336 4 4300 1					
Folded filter FP 7200	Art.-Nr. 5336 4 7200				X	
Paper filter bag FB 20	Art.-Nr. 5336 5 20	X	X			
Paper filter bag FB 25	Art.-Nr. 5336 5 25					
Paper filter bag FB 32/35	Art.-Nr. 5336 5 32			X		X
Fleece filter bag	Art.-Nr. 5336 5 35					
Paper filter bag FB 45/55	Art.-Nr. 5336 5 45				X	
Wet filter bag, 2-layered	Art.-Nr. 5336 5 45 1					
Paper filter bag FB 50	Art.-Nr. 5336 5 50					
Emptying bag	Art.-Nr. 5336 5 50 1					
Emptying bag	Art.-Nr. 5336 5 50 2					
Emptying bag ISP	Art.-Nr. 5336 5 50 3					
Pappter filter bag FB 78	Art.-Nr. 5336 5 78					

Accessories		Industrial Cleaner GS 2078 PZ Art.-Nr. 5335 2 20 78 1	Handcraft Cleaner HS AR-1432 EWSR Art.-Nr. 5335 2 14 32	Handcraft Cleaner HS A-1445 EH Art.-Nr. 5335 2 14 45	Industrial Cleaner ISC ARD-1425 EWS Art.-Nr. 5335 3 1 14 25
Closures f. plastic container 20,32,45 l	Art.-Nr. 5336 1		X	X	
Closure lateral set of 2	Art.-Nr. 5336 1 25				X
(Pair) closure lateral f. ISP	Art.-Nr. 5336 1 35				
Suction hose Ø 35 mm, 1.75 m long	Art.-Nr. 5336 1 35 1				
Suction hose Ø 35 mm, 3.2 m lang	Art.-Nr. 5336 1 35 2	X		X	
Suction hose Ø 35 mm, 5 m long	Art.-Nr. 5336 1 35 3				X
Suction hose red Ø 35 mm, 5 m long	Art.-Nr. 5336 1 35 4		X		
Suction hose Ø 49 mm, 1.75 m long	Art.-Nr. 5336 1 49 1				
Closure lateral	Art.-Nr. 5336 1 50				
Handle plastic Ø 35 mm	Art.-Nr. 5336 2 35 1			X	
Handle metal Ø 35 mm	Art.-Nr. 5336 2 35 2	X	X		X
Suction tube steel Ø 35 mm, 48 cm long	Art.-Nr. 5336 2 35 4	X	X		X
Suction tube plastic Ø 35 mm, 48 cm long	Art.-Nr. 5336 2 35 6			X	
Suction tube plastic Ø 49 mm, 48 cm long	Art.-Nr. 5336 2 49 1				
Universal nozzle Ø 35 mm	Art.-Nr. 5336 3 35 1				
Universal nozzle Ø 35 mm, switchable	Art.-Nr. 5336 3 35 3			X	
Crevice nozzle Ø 35 mm, 21 cm long	Art.-Nr. 5336 3 35 5		X	X	X
Rubber nozzle Ø 35 mm, 23 cm long	Art.-Nr. 5336 3 35 7			X	
Upholstery nozzle Ø 35 mm	Art.-Nr. 5336 3 35 8				
Crevice nozzle Ø 35 mm, 37 cm long	Art.-Nr. 5336 3 35 10	X			
Rubber sleeve Ø 35 mm, stepped	Art.-Nr. 5336 3 35 11		X		X
Nozzle body Ø 35 mm, 37 mm wide	Art.-Nr. 5336 3 35 12		X		X
Hard floor adapter for nozzle body	Art.-Nr. 5336 3 35 13		X		X
Water adapter for nozzle body	Art.-Nr. 5336 3 35 14				
Suction brush	Art.-Nr. 5336 3 35 15	X			
Profi floor nozzle 45	Art.-Nr. 5336 3 35 16	X			
Floor nozzle Ø 49 mm, 35 cm widebreit	Art.-Nr. 5336 3 49 1				
Crevice nozzle Ø 49 mm, 16 cm long	Art.-Nr. 5336 3 49 2				
Rough dirt nozzle Ø 49 mm	Art.-Nr. 5336 3 49 3				
Plug-in brush for upholstery nozzle	Art.-Nr. 5336 3 3581				
Foamed filter FSS 1200	Art.-Nr. 5336 4 1200		X	X	
Textile filter FST 3000K	Art.-Nr. 5336 4 3000				
Polyester filter bag FSP 3100	Art.-Nr. 5336 4 3100	X			
Folded filter FP 3200	Art.-Nr. 5336 4 3200	X			
Folded filter FP 3600	Art.-Nr. 5336 4 3600				
Folded filter FPP 3600	Art.-Nr. 5336 4 3600 1			X	
Folded filter FPPR 3600	Art.-Nr. 5336 4 3600 2		X		
Filter cassettes FKP 4300	Art.-Nr. 5336 4 4300				X
Filter cassettes HEPA FKP 4300	Art.-Nr. 5336 4 4300 1				
Folded filter FP 7200	Art.-Nr. 5336 4 7200				
Paper filter bag FB 20	Art.-Nr. 5336 5 20				
Paper filter bag FB 25	Art.-Nr. 5336 5 25				X
Paper filter bag FB 32/35	Art.-Nr. 5336 5 32		X		
Fleece filter bag	Art.-Nr. 5336 5 35				
Paper filter bag FB 45/55	Art.-Nr. 5336 5 45			X	
Wet filter bag, 2-layered	Art.-Nr. 5336 5 45 1			X	
Paper filter bag FB 50	Art.-Nr. 5336 5 50				
Emptying bag	Art.-Nr. 5336 5 50 1				
Emptying bag	Art.-Nr. 5336 5 50 2				
Emptying bag ISP	Art.-Nr. 5336 5 50 3				
Paper filter bag FB 78	Art.-Nr. 5336 5 78	X			

Accessories		Industrial Cleaner ISC ARD-1450 EWS Art.-Nr. 5335 3 11 45 0	Industrial Cleaner ISP ARH-1435 EW Art.-Nr. 5335 3 14 35 1	Industrial Cleaner ISP ARM 1435 E-EV Art.-Nr. 5335 3 14 35 2
Closures f. plastic container 20,32,45 l	Art.-Nr. 5336 1			
Closure lateral set of 2	Art.-Nr. 5336 1 25			
(Pair) closure lateral f. ISP	Art.-Nr. 5336 1 35		X	X
Suction hose Ø 35 mm, 1.75 m long	Art.-Nr. 5336 1 35 1			
Suction hose Ø 35 mm, 3.2 m long	Art.-Nr. 5336 1 35 2			
Suction hose Ø 35 mm, 5 m long	Art.-Nr. 5336 1 35 3	X	X	X
Suction hose red Ø 35 mm, 5 m long	Art.-Nr. 5336 1 35 4			
Suction hose Ø 49 mm, 1.75 m long	Art.-Nr. 5336 1 49 1			
Closure lateral	Art.-Nr. 5336 1 50	X		
Handle plastic Ø 35 mm	Art.-Nr. 5336 2 35 1			
Handle metal Ø 35 mm	Art.-Nr. 5336 2 35 2	X		
Suction tube steel Ø 35 mm, 48 cm long	Art.-Nr. 5336 2 35 4	X		
Suction tube plastic Ø 35 mm, 48 cm long	Art.-Nr. 5336 2 35 6			
Suction tube plastic Ø 49 mm, 48 cm long	Art.-Nr. 5336 2 49 1			
Universal nozzle Ø 35 mm	Art.-Nr. 5336 3 35 1			
Universal nozzle Ø 35 mm, switchable	Art.-Nr. 5336 3 35 3			
Crevice nozzle Ø 35 mm, 21 cm long	Art.-Nr. 5336 3 35 5	X		
Rubber nozzle Ø 35 mm, 23 cm long	Art.-Nr. 5336 3 35 7			
Upholstery nozzle Ø 35 mm	Art.-Nr. 5336 3 35 8			
Crevice nozzle Ø 35 mm, 37 cm long	Art.-Nr. 5336 3 35 10			
Rubber sleeve Ø 35 mm, stepped	Art.-Nr. 5336 3 35 11	X	X	X
Nozzle body Ø 35 mm, 37 mm wideb	Art.-Nr. 5336 3 35 12	X		
Hard floor adapter for nozzle body	Art.-Nr. 5336 3 35 13	X		
Water adapter for nozzle body	Art.-Nr. 5336 3 35 14			
Suction brush	Art.-Nr. 5336 3 35 15			
Profi floor nozzle 45	Art.-Nr. 5336 3 35 16			
Floor nozzle Ø 49 mm, 35 cm wide	Art.-Nr. 5336 3 49 1			
Crevice nozzle Ø 49 mm, 16 cm long	Art.-Nr. 5336 3 49 2			
Rough dirt nozzle Ø 49 mm	Art.-Nr. 5336 3 49 3			
Plug-in brush for upholstery nozzle	Art.-Nr. 5336 3 3581			
Foamed filter FSS 1200	Art.-Nr. 5336 4 1200			
Textile filter FST 3000K	Art.-Nr. 5336 4 3000			
Polyester filter bag FSP 3100	Art.-Nr. 5336 4 3100			
Folded filter FP 3200	Art.-Nr. 5336 4 3200			
Folded filter FP 3600	Art.-Nr. 5336 4 3600			
Folded filter FPP 3600	Art.-Nr. 5336 4 3600 1			
Folded filter FPPR 3600	Art.-Nr. 5336 4 3600 2			
Filter cassettes FKP 4300	Art.-Nr. 5336 4 4300	X		X
Filter cassettes HEPA FKP 4300	Art.-Nr. 5336 4 4300 1		X	
Folded filter FP 7200	Art.-Nr. 5336 4 7200			
Paper filter bag FB 20	Art.-Nr. 5336 5 20			
Paper filter bag FB 25	Art.-Nr. 5336 5 25			
Paper filter bag FB 32/35	Art.-Nr. 5336 5 32			
Fleece filter bag	Art.-Nr. 5336 5 35		X	X
Paper filter bag FB 45/55	Art.-Nr. 5336 5 45			
Wet filter bag, 2-layered	Art.-Nr. 5336 5 45 1	X		
Paper filter bag FB 50	Art.-Nr. 5336 5 50	X		
Emptying bag	Art.-Nr. 5336 5 50 1		X	X
Emptying bag	Art.-Nr. 5336 5 50 2			
Emptying bag ISP	Art.-Nr. 5336 5 50 3		X	X
Paper filter bag FB 78	Art.-Nr. 5336 5 78			

Accessories		Industrial Cleaner IS ARD-1250 EWS Art.-Nr. 5335 3 12 50	Handcraft Cleaner IS ARH-1250 EW Art.-Nr. 5335 3 12 50 1	Handcraft Cleaner IS ARM 1250 E-EW Art.-Nr. 5335 3 12 50 2	Industrial Cleaner IS ARH-1050 Asbest EW Art.-Nr. 5335 3 10 50
Closure lateral set of 2	Art.-Nr. 5336 1 25				
Suction hose Ø 35 mm, 1.75 m long	Art.-Nr. 5336 1 35 1				
Suction hose Ø 35 mm, 3.2 m long	Art.-Nr. 5336 1 35 2				
Suction hose Ø 35 mm, 5 m long	Art.-Nr. 5336 1 35 3	X	X	X	X
Suction hose red Ø 35 mm, 5 m long	Art.-Nr. 5336 1 35 4				
Suction hose Ø 49 mm, 1.75 m long	Art.-Nr. 5336 1 49 1				
Closure lateral	Art.-Nr. 5336 1 50	X	X	X	X
Handle plastic Ø 35 mm	Art.-Nr. 5336 2 35 1				
Handle metal Ø 35 mm	Art.-Nr. 5336 2 35 2	X			
Suction tube steel Ø 35 mm, 48 cm long	Art.-Nr. 5336 2 35 4	X			
Suction plastic Ø 35 mm, 48 cm long	Art.-Nr. 5336 2 35 6				
Suction tube plastic Ø 49 mm, 48 cm long	Art.-Nr. 5336 2 49 1				
Universal nozzle Ø 35 mm	Art.-Nr. 5336 3 35 1				
Universal nozzle Ø 35 mm, switchable	Art.-Nr. 5336 3 35 3				
Crevice nozzle Ø 35 mm, 21 cm long	Art.-Nr. 5336 3 35 5	X			
Rubber nozzle Ø 35 mm, 23 cm long	Art.-Nr. 5336 3 35 7				
Upholstery nozzle Ø 35 mm	Art.-Nr. 5336 3 35 8				
Crevice nozzle Ø 35 mm, 37 cm long	Art.-Nr. 5336 3 35 10				
Rubber sleeve Ø 35 mm, stepped	Art.-Nr. 5336 3 35 11	X	X	X	X
Nozzle body Ø 35 mm, 37 mm wide	Art.-Nr. 5336 3 35 12				
Hard floor adapter for nozzle body	Art.-Nr. 5336 3 35 13				
Water adapter for nozzle body	Art.-Nr. 5336 3 35 14				
Suction brush	Art.-Nr. 5336 3 35 15				
Floor nozzle Ø 49 mm, 35 cm wide	Art.-Nr. 5336 3 49 1				
Crevice nozzle Ø 49 mm, 16 cm long	Art.-Nr. 5336 3 49 2				
Rough dirt nozzle Ø 49 mm	Art.-Nr. 5336 3 49 3				
Plug-in brush for upholstery nozzle	Art.-Nr. 5336 3 3581				
Schaumstofffilter FSS 1200	Art.-Nr. 5336 4 1200				
Textile filter FST 3000K	Art.-Nr. 5336 4 3000				
Polyester filter bag FSP 3100	Art.-Nr. 5336 4 3100				
Folded filter FP 3200	Art.-Nr. 5336 4 3200				
Folded filter FP 3600	Art.-Nr. 5336 4 3600				
Folded filter FPP 3600	Art.-Nr. 5336 4 3600 1				
Filter cassettes FKP 4300	Art.-Nr. 5336 4 4300	X		X	
Filter cassettes HEPA FKP 4300	Art.-Nr. 5336 4 4300 1		X		X
Folded filter FP 7200	Art.-Nr. 5336 4 7200				
Paper filter bag FB 20	Art.-Nr. 5336 5 20				
Paper filter bag FB 25	Art.-Nr. 5336 5 25				
Paper filter bag FB 32/35	Art.-Nr. 5336 5 32				
Paper filter bag FB 45/55	Art.-Nr. 5336 5 45			X	
Wet filter bag, 2-layered	Art.-Nr. 5336 5 45 1				
Paper filter bag FB 50	Art.-Nr. 5336 5 50	X			
Emptying bag	Art.-Nr. 5336 5 50 1		X	X	
Emptying bag	Art.-Nr. 5336 5 50 2				X
Paper filter bag FB 78	Art.-Nr. 5336 5 78	X			

Accessories for HG 2310 LCD and HG 2300 E

• Art. No. 5345 9, 5345 3 and 5345 7 also suitable for HL 1610 S

Wide-Beam Nozzle 50 mm

• For flat air distribution of small surfaces

Article No.	Article Description	QTY
5345 9	WIDE-BEAM NOZZLE 50MM	1



Wide-Beam Nozzle 75 mm

• Provides for flat air distribution when drying and removing colours etc.

Article No.	Article Description	QTY
5345 3	WIDE-BEAM NOZZLE 75MM	1



Reflecting Nozzle

• For soldering of pipes and shrinkage of shrink hoses and connectors

Article No.	Article Description	QTY
5345 7	REFLECTING NOZZLE	1



Reducing Nozzle

• Precise hot air during unsolder and plastic welding process

Article No.	Article Description	QTY
5345 12	REDUCING NOZZLE 9MM	1
5345 13	REDUCING NOZZLE 14MM	1



Wide-Grooved Nozzle

• For tarpauling weldings
• Clip-on nozzle 14 mm - reducing nozzle Art. No. 5345 13

Article No.	Article Description	QTY
5345 10	WIDE-GROOVED NOZZLE	1



Slotted Nozzle

• For welding of tarpaulin
• Pluggable up to 9 mm - reducing nozzle

Article No.	Article Description	QTY
5345 19	SLOTTED NOZZLE	1



Fein-Cutter FSC 1.6

- Cutter with oscillating trajectory for the removal of bonded windscreens
- Stepless electrical cutting frequency regulation
- Hexagon tool intake with powerful connection between machine and tool



Technical Data	
Power:	400 Watt
Idle speed:	11.000 - 18.500 1/min
Cable connector:	5.0 m
Weight:	1.25 kg

Article No.	Article Description	QTY
5356 400	FEIN-CUTTER FSC 1.6	1

Included in delivery: 1 metal tool box, 1 sharpening stick, 1 pin wrench

Fein-Cutter FSN400 E Individual Parts

Article No.	Article Description	QTY
5356 1	SHARPENING STICK FOR BLADE	1
5356 2	PIN WRENCH	1
5356 3	TWOHOLECLAMPSCREW	1

Saw Blades For Fein-Knives

Article No.	Article Description	QTY
5356 63	(PK2)FEIN CIRC.BLADE HSS 63MM	1
5356 80	(PK2)FEIN CIRC.BLADE HSS 80MM	1



Car Window Removal Kit

- Car Window Removal Kit with knives, for fast and safe removal of windscreens belonging to almost all vehicles

Article No.	Article Description	QTY
5356 20	CAR WINDOW REMOVAL KIT	1

Contents:
 3 x Art. No. 5356 207, 1 x Art. No. 5356 208, 1 x Art. No. 5356 209,
 1 x Art. No. 5356 157, 1 x Art. No. 5356 111, 2 x Art. No. 5356 212



Motor Workshop Kit

- For the removal of windscreens, rear and side windows
- HSS-saw blades for the removal of sheets and plastics, spatula for comfortable and fast removal of underbody protections

Article No.	Article Description	QTY
5356 21	MOTOR WORKSHOP KIT	1

Contents:
 2 x Art. No. 5356 076, 1 x Art. No. 5356 079, 1 x Art. No. 5356 101,
 1 x Art. No. 5356 207, 1 x Art. No. 5356 143, 1 x Art. No. 5356 129,
 1 x Art. No. 5356 80, 1 x spatula Art. No. 5356 206



Cargo-Kit

- For special use with trucks, buses and rail vehicles

Article No.	Article Description	QTY
5356 22	CUTTING KIT CARGO	1

Contents:
 2 x Art. No. 5356 073, 1 x Art. No. 5356 081, 1 x Art. No. 5356 217,
 1 x Art. No. 5356 072, 1 x Art. No. 5356 207, 1 x Art. No. 5356 209,
 1 x Art. No. 5356 105, 1 x pull rope



Knives for Fein-Cutter

Article No.	Article Description	QTY
5356 121	PK(2)BONDED SCREEN KNIVES 121	1
5356 073	PK(2)BONDED SCREEN KNIVES 073	1
5356 176	PK(2)BONDED SCREEN KNIVES 176	1
5356 174	PK(2)BONDED SCREEN KNIVES 174	1
5356 168	PK(2)BONDED SCREEN KNIVES 168	1
5356 160	PK(2)BONDED SCREEN KNIVES 160	1
5356 123	PK(2)BONDED SCREEN KNIVES 123	1
5356 097	PK(2)BONDED SCREEN KNIVES 097	1
5356 171	PK(2)BONDED SCREEN KNIVES 171	1
5356 081	PK(2)BONDED SCREEN KNIVES 081	1
5356 125	PK(2) BONDED SCREEN KNIVES 125	1
5356 194	PK(2) BONDED SCREEN KNIVES 194	1
5356 072	PK(2) BONDED SCREEN KNIVES 072	1
5356 143	PK(2) BONDED SCREEN KNIVES 143	1
5356 170	PK(2) BONDED SCREEN KNIVES 170	1
5356 169	PK(2) BONDED SCREEN KNIVES 169	1
5356 095	PK(2) BONDED SCREEN KNIVES 095	1
5356 108	PK(2) BONDED SCREEN KNIVES 108	1
5356 087	PK(2) BONDED SCREEN KNIVES 087	1
5356 127	PK(2) BONDED SCREEN KNIVES 127	1
5356 118	PK(2) BONDED SCREEN KNIVES 118	1
5356 115	PK(2) BONDED SCREEN KNIVES 115	1
5356 076	PK(2) BONDED SCREEN KNIVES 076	1
5356 163	PK(2) BONDED SCREEN KNIVES 163	1
5356 114	PK(2)BONDED SCREEN KNIVES 114	1
5356 147	PK(2)BONDED SCREEN KNIVES 147	1
5356 191	PK(2)BONDED SCREEN KNIVES 191	1
5356 079	PK(2)BONDED SCREEN KNIVES 079	1
5356 110	PK(2)BONDED SCREEN KNIVES 110	1
5356 156	PK(2)BONDED SCREEN KNIVES 156	1
5356 154	PK(2)BONDED SCREEN KNIVES 154	1
5356 153	PK(2)BONDED SCREEN KNIVES 153	1
5356 101	PK(2)BONDED SCREEN KNIVES 101	1
5356 107	PK(2)BONDED SCREEN KNIVES 107	1
5356 157	PK(2)BONDED SCREEN KNIVES 157	1
5356 155	PK(2)BONDED SCREEN KNIVES 155	1
5356 111	PK(2)BONDED SCREEN KNIVES 111	1
5356 120	PK(2)BONDED SCREEN KNIVES 120	1
5356 103	PK(2)BONDED SCREEN KNIVES 103	1
5356 109	PK(2)BONDED SCREEN KNIVES 109	1
5356 129	PK(2)BONDED SCREEN KNIVES 129	1
5356 146	PK(2)BONDED SCREEN KNIVES 146	1
5356 105	PK(2)BONDED SCREEN KNIVES 105	1
5356 144	PK(2)BONDED SCREEN KNIVES 144	1
5356 113	PK(2)BONDED SCREEN KNIVES 113	1
5356 131	PK(2)BONDED SCREEN KNIVES 131	1
5356 132	PK(2)BONDED SCREEN KNIVES 132	1
5356 208	PK(2)BONDED SCREEN KNIVES 208	1
5356 207	PK(2)BONDED SCREEN KNIVES 207	1
5356 209	PK(2)BONDED SCREEN KNIVES 209	1
5356 211	PK(2)BONDED SCREEN KNIVES 211	1
5356 212	PK(2)BONDED SCREEN KNIVES 212	1
5356 216	PK(2)BONDED SCREEN KNIVES 216	1
5356 217	PK(2)BONDED SCREEN KNIVES 217	1

Technical Data

Length mm	Form
26	1
35	1
70	1
27	2
45	2
54	2
55/32	2
58	2
80/70	2
85/60	2
85/70	2
110	2
45	3
16-35	3
18-39	3
60-76	3
16	4
16	4
18	4
18	4
19.5	4
22	4
24	4
28	4
32	4
32	4
32	4
36	4
40	4
40	4
45	4
52	4
60	4
60	4
60	4
70	4
95	4
14	5
35	5
35	5
12	6a
18	6a
25	6a
17	6c
13	6b
25	6b
7	7
19	8
25.4	8
38	8
25.5	4
38	4
120 / 60	2
38	9



Art No. 5356 073

- Form 1
- Toothed

Art. No. 5356 099, 5356 179, 5356 160, 5356 097, 5356 177

- Form 2
- With robust stop roller

Art. No. 5356 171

- Form 2
- With toothed

Art. No. 5356 189, 5356 082, 5356 133, 5356 152

- Form 3
- With robust tothing

Art. No. 5356 072

- Form 3
- Without stop roller

Art. No. 5356 132

- Form 7
- Toothed
- For vehicles with very wide adhesive bead e.g. buses and special vehicles

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windschr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Alfa Romeo												
Alfa Romeo 145/146 (7.94-)	170 147	3 4	35,0/19,0	170 169	3 3	20,5 76,0				076 168	4 2	
Alfa Romeo 147	207 211	8 4								143	3	
Alfa Romeo 155							147	4				
Alfa Romeo 156	207	8		207	8							
Alfa Romeo 159	207 212	8 4		207	8							
Alfa Romeo 164	073 081 111	1 2 4										
Alfa Romeo 166	207 157	8 4		207	8							
Alfa Romeo GT 2004-	207 212	8 4										
Alfa Romeo GTV	147	4		143 081	3 2	22,0/25,0 50,0						
Alfa Romeo GT 2003-	207	8										
Audi												
Audi A 2	207 076	8 4										
Audi A 3 / RS3 -2004	207 211	8 4								143	3	
Audi A3 2004-	207 212	8 4										
Audi A 4 / RS4	207 212	8 4										
Audi A 6 Allroad (98 -)	207 212	8 4										
Audi A 8	207 079	8 4					191	4				
Audi A 8 2003-	207 154	8 4										
Audi A4 Cabrio 2002-	207 212	8 4										
Audi TT	207 076	8 4										
Audi Q7	207 157	8 4										
Audi 80/90							114	4				
Audi 80 Avant	114	4		143	3	22,0				073	1	
Audi 80 Cabrio	154	4										
Audi 100/A6 (-12.90/-96)							079	4				
BMW												
BMW 1er (E87)	207 212	8 4										
BMW 3er Lim./Coupé (E 36)							079	4				
BMW 3er Compact (E 36)							079	4				
BMW 3er Touring (E 36)	079	4		076	4					143	3	16,0
BMW 3er (E 46)	079	4		076	4							
BMW 3er (E90)	207 212	8 4										
BMW 5er (E 39, E 34)							076	4				
BMW 5er Touring (E 39, E 34)				079	4		076	4		143	3	14,0/28,0
BMW 5er (E60)	207 157	8 4										
BMW 6er (E63)	207 157	8 4										

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
BMW 7er (E 38,E 32)							076	4		143	3	16,0
BMW 7er (E65)	207 212	8 4										
BMW X 3	207 079	8 4		207 081	8 2					207	8	
BMW X 5 (E53)	079	4		076 079	4 4					143	3	
BMW Z 3 Roadster	076	4										
BMW Z 3 Coupe	076	4		076	4					143	3	35
BMW Z 4	207 212	8 4										
BMW Z 8 (E52)	207 157	8 4										
Chevrolet												
Chevrolet Matiz	207 212	8 4		081 143	2 3							
Chevrolet Kalos	207 212	8 4		125 143	2 3	20						
Chevrolet Lacetti	207 212	8 4		125 143	2 3							
Chevrolet Nubira Lim.	207 212	8 4		207	8							
Chevrolet Nubira Kombi	207 212	8 4		081 143	2 3					208	8	
Chevrolet Evanda	207 212	8 4		207	8							
Chrysler												
Chrysler Jeep Cherokee	076	4					076	4		076	4	
Chrysler Jeep Commander	207 212	8 4								143	3	
Chrysler Crossfire	207 212	8 4										
Chrysler PT Cruiser	207 079	8 4										
Chrysler PT Cruiser Cabrio	207 212	8 4										
Chrysler Voyager	123	2					125	2				
Chrysler 300c	207 212	8 4										
Citroen												
Citroen AX	076 079	4 4										
Citroen Berlingo	207 079	8 4		207 143	8 3							
Citroen BX	076	4		143 073	3 1	19,0				076 side panelling	4	
Citroen BX Break				076 081	4 2							
Citroen CX	143 076	3 4	19,0							073 076	1 4	back back
Citroen Evasion	076 079	4 4		143 081	3 2	29,5				103 125	5 2	
Citroen Saxo	076	4		173	2		146	6a				
Citroen Xantia Picasso	207 154	8 4		143 081	3 2							
Citroen Xantia	207 154	8 4		125	2							

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Citroen XM	076	4		124	2					076	4	
	154	4		125	2					125	2	
	079	4								124	2	
Citroen XSARA/Picasso	207	8		169 125	3 2		143	3				
Citroen ZX	079	4		143	3	25,0				079	4	
Citroen C1	207	8										
	212	4										
Citroen C2	207	8		143	3					208	8	
	212	4		125	2							
Citroen C3	207	8		207	8							
	154	4		125	2							
Citroen C3 Pluriel	207	8										
	154	4										
Citroen C4	207	8										
	212	4										
Citroen C5	207	8		143	3							
	157	4		081	2							
				194	2							
Citroen C15	076	4										
	079	4										
Jumpy I	207	8										
	079	4										
Jumper	209	8										
Daewoo												
Daewoo (all)	207	8										
	079	4										
	101	4										
DAF												
DAF Lkw (all)	209	8										
Fiat												
Fiat Coupe	207	8		143	3							
	079	4										
Fiat Barchetta Spider	207	8										
	079	4										
Fiat Bravo/Brava/Marea	207	8		143	3							
	079	4										
Fiat Croma 2005-	207	8		125	2							
	212	4		143	3							
Fiat Doblo	207	8										
	079	4										
Fiat Ducato	076	4										
	079	4										
Fiat Idea	207	8										
	079	4										
Fiat Multipla	207	8										
	079	4										
Fiat Palio	207	8										
	079	4										
Fiat Panda 2004-	207	8										
	212	4										
Fiat Punto I+ II	207	8										
	079	4										
Fiat Grande Punto 2005-	207	8										
	212	4										
Fiat Seicento	207	8										
Fiat Stilo	207	8										
	079	4										

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Fiat Tipo	076	4		143	3	27,0				072	3	
Fiat Ulysse / Scudo	207 079	8 4		143 081	3 2	29,5				103 125	5 2	
Fiat Ulysse II 2002-	207 194 111	8 2 4										
Ford												
Ford Escort (9.90-)	079	4		143	3	27,0				143	3	27,0
Turnier				157	4							
Fastback (9.90-)							076	4		143	3	26,0
Ford Fiesta (96-)	076	4										
Ford Fiesta - 2004	207 079	8 4		143 081	3 2					143 081	3 2	
Ford Fiesta 2005-	207 212	8 4										
Ford Focus	207 079	8 4										
Ford Focus C-Max 2003-	207 079	8 4		143 081	3 2	max. 40						
Ford Fusion 2003-	207 079	8 4		143 081	3 2					143 081	3 2	
Ford Galaxy	207 157	8 4					207	8				
Ford KA	114	4		114 107	4 4							
Ford Street KA	207 079	8 4										
Ford Maverick	207	8		143 157	3 4	17,0				143 160	3 2	20,0
Ford Mondeo I Turnier	157 163	4 4		143 081	3 2	22,0				143 109	3 5	28,0
Ford Mondeo I Fastback	157 163	4 4		143 081	3 2	30,0/36,0						
Ford Mondeo I Trimmed tail	157 163	4 4		076	4							
Ford Mondeo II (2001-)	207 111	8 4										
Ford Probe I	076 079	4 4		143 170 171	3 3 2	31,0 37,0				143 081	3 2	28,0/21,0
Ford Probe II	076 079	4 4		081	2							
Ford Puma	076	4										
Ford Scorpio Turnier	076 079	4 4		143 109	3 5					109 163 157	5 4 4	
Ford Scorpio Fastback	076 079	4 4		143 123	3 2	22,0				143 123	3 2	17,0
Ford Scorpio	076	4		143	3	22,0				143	3	17,0
Formheck	079	4		123	2					123	2	
Ford Sierra	076 103	4 5		143 143	3 3	30,5				143	3	30,5
Ford Tourneo Connect	207 079	8 4		143 081	3 2							
Ford Transit II + III+IV	076	4										
Honda												
Honda (all)	208 207 212	8 8 4										
Honda S2000	207 212	8 4										

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Hyundai												
Hyundai (-2001)	208 207 079	8 8 4										
Hyundai Accent	207 212	8 4										
Hyundai Coupe / CCS / Cabrio -2004	207 212	8 4										
Hyundai Coupe 2005-	207 212	8 4		081 143	2 3							
Hyundai Elantra	207 212	8 4		207	8							
Hyundai Getz	207 212	8 4							143 081		3 2	
Hyundai Matrix	207 212	8 4										
Hyundai SantaFe	207 212	8 4										
Hyundai Sonata	207 157	8 4										
Hyundai Terracan	207 212	8 4		208	8							
Hyundai Trajet	207 212	8 4		207	8				143		3	
Hyundai Tucson	207 212	8 4										
Hyundai XG 350	207 212	8 4										
Jaguar												
Jaguar Serie 300	079 146	4 6a					095	4		172		5
Jaguar S-Type	207 212	8 4										
Jaguar X-Type	207 157	8 4										
Jaguar XJ 6, Vanden-Plas,	076	4					103	5				
Jaguar XJ 2005-	207 157	8 4										
Jaguar XJ 8	207 157	8 4										
Jaguar XJR	207 157	8 4										
Jaguar XK8	207 079	8 4										
Jaguar X- Type	207 157	8 4										
IVECO												
IVECO Truck	209	8										
KIA												
KIA / Asia (-2002)	208 207 079	8 8 4										
KIA Carens	207 211	8 4							143		3	
KIA Carnival	207 212	8 4										
KIA Magentis	207 211	8 4										
KIA Picanto	207 211	8 4										

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
KIA RIO	207	8										
KIA Sorento	207 212	8 4										
Lancia												
Lancia Dedra	076	4										
Lancia Thema	076	4		081	2		143	3				
Lancia K	079	4					174 195	2 3	36,0			
Lancia Musa	207 212	8 4		143	3					207	8	
Lancia Y 10							073 076	1 4				
Lancia Y	207	8										
Land Rover												
Land Rover Freelander	212 207	4 8										
Land Rover Range Rover	207 157	8 4										
Lexus												
Lexus LS 400/UCF 10	111	4					076	4				
Lexus IS 200 Lim.	207 212	8 4		207	8							
Lexus LS 430	207 157	8 4										
Lexus RX 300	207 212	8 4										
Lexus SC 430	207 157	8 4										
Mazda												
Mazda 2	207 212	8 4		125 143	2 3					207	8	
Mazda 3	207 212	8 4										
Mazda 5	207 212	8 4										
Mazda 6	207 157	8 4										
Mazda RX-8	207 157	8 4										
Mazda (all)- 2002	208 207 079	8 8 4										
Mercedes-Benz												
Mercedes-Benz A-Klasse (-2004)	207 079	8 4		143	3		171	2		143	3	
Mercedes-Benz C-Klasse (W 202)	079	4					076	4				
Mercedes-Benz C-Klasse (W 203) (9/00 -)	207 153	8 4		114	4							
Mercedes-Benz CL (W 215)	207 079	8 4										
Mercedes-Benz CLK Coupe (W 208)	076	4					110	4		143 171	3 2	
Mercedes-Benz CLK Coupe/ Cabrio (W 209) 2003-	207 079	8 4										
Mercedes-Benz SLK Roadster (W 170)	079 207 110	4 8 4		076	4							

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Mercedes-Benz E-Klasse (W 210)	076	4					079	4				
Mercedes-Benz E-Klasse (W 211)	207 079	8 4					079	4				
Mercedes-Benz E-Klasse (W 211T)										209	8	shorten to 32
Mercedes-Benz S-Klasse (W 140)	143	3	22,0				114	4				
Mercedes-Benz S-Klasse (W 220) (10.98-)	207 171	8 2					076	4				
Mercedes-Benz SL (R230) 2002-	207 079	8 4										
Mercedes-Benz 200-300 E (W124)	087 143	4 3	18,5	076 073	4 1					079	4	
Mercedes-Benz Roadster (R129)							079	4		079	4	
Mercedes-Benz Sprinter	209 079	8 4										
Mercedes-Benz Vaneo (2001-)	207 079	8 4										
Mercedes-Benz Viano (2003-)	207 212	8 4		207 081	8 2					081	2	
Mercedes-Benz Vito	207 079	8 4										
Mercedes M-Klasse W163	208 209 103 207 079	8 8 5 8 4										
Truck												
Truck Econic	209 079	8 4										
Truck Atego	209 079	8 4										
MINI												
MINI (R50) Cooper / One	079 163	4 4		079 143	4 3					079	4	
Mitsubishi												
Mitsubishi (all) -2002	208 207 211 212	8 8 4 4										
Mitsubishi Lancer	207 212	8 4										
Nissan												
Nissan Almera	207	8		143	3					143 081	3 2	
Nissan Almera Tino	207	8		143 081	3 2					143	3	
Nissan Micra 2003-	207	8		081 143	2 3					081 143	2 3	
Nissan Micra C+C 2005-	207 212	8 4										
Nissan Navara	207 212	8 4										
Nissan Pathfinder	207 212	8 4										

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Nissan Primera 2003-	207 079	8 4										
Nissan Terrano II	076	4		143 157	3 4	18,0				143 160	3 2	20,0
Nissan X-Trail	207 212	8 4										
Nissan Z 350	207 211	8 4										
Nissan Pkw (-2003)	208 207 079	8 8 4										
Opel												
Opel Agila	207 212	8 4		143	3					207	8	
Opel Astra				079	4		076	4				
Opel Astra „Caravan“ (98-)							163	4				
Opel Astra 'Fastback' (98-)	163	4		194 143 169	2 3 3	20,0 76,0/71,0						
Opel Astra B	207 154	8 4		079	4		076	4				
Opel Astra C 2003-	207 212	8 4										
Opel Astra Kombi 2005-	207 212	8 4		207 125	8 2					081 143	2 3	
Opel Astra Lim. 2005-	207 212	8 4										
Opel Astra Cabrio 2005-	207 212	8 4										
Opel Astra GTC Cosmo 2005-	207 209	8 8										
Opel Calibra	076 107	4 4		122 123	2 2							
Opel Combo Tour -2004	207 191	8 4										
Opel Combo 2005-	207 212	8 4		143	3					143	3	
Opel Corsa B	079	4					076	4				
Opel Corsa C 2001-	207 079	8 4										
Opel Frontera	207 079	8 4								079 125 143	4 2 3	27,0/23,0
Opel Kadett E 'Trimmed tail'	101	4					076	4		103	5	
Opel Kadett E 'Fastback'	076 101	4 4		143	3	30,5				103	5	
Opel Kadett E „Caravan“	076 101	4 4		143	3	19,0				103	5	
Opel Meriva -2004	207 191	8 4		143 123	3 2	17/22						
Opel Meriva 2005 -	207 212	8 4		081 143	2 3					081 143	2 3	
Opel Movano	209 079	8 4										
Opel Omega A	107 108	4 4		109	5							
Opel Omega B (Mod. 94-)	076 107	4 4										
Opel Omega B „Caravan“ 94-	107	4					076	4				

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Opel Signum 2003-	207 212	8 4		125 143	2 3							
Opel Speedster	207 191	8 4										
Opel Tigra	107 076	4 4		123 172 173	2 5 2							
Opel Tigra TwinTop	207 212	8 4										
Opel Vectra 'Trimmed tail'							076	4				
Opel Vectra 'Fastback'	076	4		121 122 123	1 2 2							
Opel Vectra B (95-) Fastback	079	4		194 123	2 2							
Opel Vectra B Trimmed tail (95-)	079	4		076	4							
Opel Vectra C 2002-	207 191	8 4										
Opel Zafira -2004	207 079	8 4		208	8							
Opel Zafira 2005-	207 212	8 4		125 207 143	2 8 3				143 081	3 2		
Opel Vivaro	207 079	8 4										
Peugeot												
Peugeot 1007	207 212	8 4		081 143	2 3							
Peugeot 106	076 207 146	4 8 6a	16,0	143 144	3 6c	17,0						
Peugeot 205				143 095	3 4							
Peugeot 206 -2002	079	4		143 125	3 2							
Peugeot 206 2002-	207 191	8 4										
Peugeot 306	079 143 146	4 3 6a	16,0	143 160 144	3 2 6c	28,0						
Peugeot 307	207 191	8 4										
Peugeot 405							076	4				
Peugeot 406	207 154	8 4		143 154	3 4				143	3	Fond	
Peugeot 406 Coupé	207 079	8 4		143 081	3 2							
Peugeot 407 Coupe	207 157	8 4										
Peugeot 605	208 157	8 4					207 208	8 8				
Peugeot 607	207 157	8 4										
Peugeot 806	076 079	4 4		143 081	3 2	29,5			103 125	5 2		
Peugeot 807	207 194 111	8 2 4										
Peugeot Boxer	209 079	8 4										

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Peugeot Expert	207 079	8 4										
Peugeot Partner	207 079	8 4										
Porsche												
Porsche 911, Carrera 4							103	5		103	5	
Porsche 911, Carrera (993)	122	2		118	4		208	8		103	5	
Porsche 911, Carrera GT3 (996) (997)	207 154	8 4										
Porsche 924/944 (2.85-)	072 114	3 4										
Porsche 928 S4	127	4										
Porsche, Boxter	207 154	8 4										
Porsche Cayenne	207 211	8 4										
Renault												
Renault Super 5	076 143 103 073	4 3 5 1	18,5									
Renault 19	076	4		079	4							
Renault 21	115 107 111	4 4 4		076	4							
Renault 25	079 076	4 4		143	3	27,0						
Renault Avantage	073 207 157	1 8 4										
Renault Clio I+II	079	4										
Renault Clio III 2005-	207 157	8 4										
Renault Espace I	207	8								073	1	front
Renault Espace II (Modell 91)	207	8								097	2	quarter side window
Renault Espace III (Modell 02)	207 157	8 4								097	2	quarter side window
Renault Kangoo	207 079	8 4								104 076	5 4	quarter window, side window
Renault Laguna I	076	4		143 081	3 2	30,0				143 125 103	3 2 5	
Renault Laguna II	207 111	8 4										
Renault Medaillon	076 111	4 4										
Renault Megane I (3-door)							076	4		073	1	
Renault Megane I (5-door)	076	4								143	3	25,0/27,0
Renault Megane II 2003-	207 209	8 8		208 168	8 2	from inside from inside						
Renault Megane Coupe-Cabriolet	207 157	8 4										
Renault Megane Scenic II 2003-	207 157	8 4										
Renault Modus 2005-	207 157	8 4										
Renault Safrane	107 115	4 4		143 160 125	3 2 2	30,0				104	5	

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Renault Twingo	079	4										
Renault Vel Satis	207 157	8 4										
Renault (Bus) FR 1 u. PR 4										110	4	
Renault (Bus) PR 14	209 076	8 4								076	4	
Renault (Bus) R 312										110 108	4 4	
Renault (Bus) SC 10	143 209 073	3 8 1	35,0									
Renault (truck) AE	209 207	8 8								076	4	
Renault (truck) R 310	143 110	3 4	35,0									
Rover												
Rover 214	143 110	3 4	24,0	195	3	42,0						
Rover 400				076	4							
Rover 416	076 195	4 3	33,0/37,0									
Rover 600er Serie	114	4		076	4							
Rover 800er Serie							076	4				
Saab												
Saab 9000	076 073	4 1		079	4							
Saab 900/9-3/9-5	207 079	8 4										
Saab 9-3 Cabrio	207 212	8 4										
Saab 9-3 Sport Combi	207 212	8 4		081 143	2 3				143		3	
Saab 9-5	207 157	8 4										
Saab 95 Cabrio 2003-	079 157	4 4										
SCANIA												
SCANIA truck (all)	207 081 217	8 2 9 01 1										
Seat												
Seat Alhambra	207 157	8 4					079	4				
Seat Altea 2004-	207 212	8 4		143	3							
Seat Arosa	207 076	8 4		Detachment tool 90607001016								
Seat Cordoba	207 076	8 4										
Seat Ibiza/Inca	207 076	8 4										
Seat Ibiza 2005	208 212	8 4		143 081	3 2							
Seat Leon /Torro	207	8										
Seat Leon 2005-	207 212	8 4		143	3							
Seat Toledo	207 079	8 4		143 152	3 3	22,0						

Application list - Knives AGR 5356

Model	Wind-screen ID-Nr.	Pict.	Setting Di-mens.mm	Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Windscr. Back Window ID-Nr.	Pict.	Setting Di-mens.mm	Side Window ID-Nr.	Pict.	Setting Di-mens.mm
Volvo Typ 940				118 076 079	4 4 4							
Volvo Typ 960	155	4		076 079	4 4		118	4				
VW												
VW New Beetle / Cabrio	208 076	8 4										
VW Corrado	087	4					143	3				
VW Fox	207 212	8 4		143	3					143	3	
VW Golf III/VW Golf III	207	8										Detachment tool 90607001016
VW Golf IV / BORA	207 076	8 4										Detachment tool 90607001016
VW Golf V 2003-	208 211	8 4		125 208	2 8					143 081	3 2	
VW Golf VW Golf Plus 2004-V 2003-	208 212	8 4		125 143	2 3							
VW Jetta 2005-	208 212	8 4										
VW Lupo	207 076	8 4										Detachment tool 90607001016
VW Passat Lim. (4.88 -)	207	8		114	4							
VW Passat B 5 (96 -)	207	8								143	3	
VW Passat (98 -)	207 076	8 4										Detachment tool 90607001016
VW Passat Variant (90 -)	207	8										Detachment tool 90607001016
VW Passat VI 2005-	207 212	8 4										
VW Phaeton	207 157	8 4										
VW Polo 'Hatchback' (9.90 -)				133	3							
VW Polo -1999	207 076	8 4										Detachment tool 90607001016
VW Polo 2000-	207 076	8 4		208 081	8 2							
VWPolo 2005-	207 212	8 4										
VW Sharan	207 157	8 4										
VW Touareg	207 211	8 4										
VW Touran	208 212	8 4		143	3							
VW Vento	207 076	8 4										
VW Bus T4	207	8		143	3	18,5				208	8	
VW Bus T5	207 212	8 4										
VW Caddy	207 076	8 4										
VW Caddy Life	207 212	8 4										
VW LT II	209 079	8 4										
Buses												
Buses/special vehicles with extra wide adhesive bead	132 081	7 2	(if re-quired)									