GATE VALVE

Sr#	Description	Qty
1	GATE VALVE: Application: HVAC System Function : Isolation	50
	Nominal Pressure: PN16	
	Wheel Type: Non Rising Stem End Connection: Screwed in Bonnet	
	Material of Construction: Brass	
	Hydrostatic Test pressure, pressure/temperature rating material specification: To be specified by the manufacturer	
	Size: 2-1/2"	20
2	GATE VALVE: Application: HVAC System	20
	Function : Isolation	
	Nominal Pressure: PN16	
	Wheel Type: Non Rising Stem	
	End Connection: Screwed in Bonnet	
	Material of Construction: Brass	
	Hydrostatic Test pressure, pressure/temperature rating material specification: To be specified by the manufacturer	
	Size: 2"	
3	GATE VALVE:	12
	Application: HVAC System	
	Function : Isolation	
	Nominal Pressure: PN16	
	Wheel Type: Non Rising Stem	
	End Connection: Screwed in Bonnet Material of Construction: Brass	
	Hydrostatic Test pressure, pressure/temperature rating material	
	specification: To be specified by the manufacturer	
	Size: 1-1/2"	
4	GATE VALVE:	30
	Application: HVAC System	
	Function : Isolation	
	Nominal Pressure: PN16 Wheel Type: Non Rising Stem	
	End Connection: Screwed in Bonnet	
	Material of Construction: Brass	
	Hydrostatic Test pressure, pressure/temperature rating material	
	specification: To be specified by the manufacturer	
	Size: 2-1/4"	= -
5	GATE VALVE:	50
	Application: HVAC System Function : Isolation	
	Nominal Pressure: PN16	
	Wheel Type: Non Rising Stem	
	End Connection: Screwed in Bonnet	
	Material of Construction: Brass	

	Hydrostatic Test pressure, pressure/temperature rating material	
	specification: To be specified by the manufacturer	
	Size: 3/4"	
6	GATE VALVE:	30
	Application: HVAC System	
	Function : Isolation	
	Nominal Pressure: PN16	
	Wheel Type: Non Rising Stem	
	End Connection: Screwed in Bonnet	
	Material of Construction: Brass	
	Hydrostatic Test pressure, pressure/temperature rating material	
	specification: To be specified by the manufacturer	
_	Size: 1"	10
7	GOBLE VALVE:	12
	Application: HVAC System	
	Function : Regulating	
	Nominal Pressure: PN16	
	Wheel Type: Non Rising Stem	
	End Connection: Screwed in Bonnet	
	Material of Construction: Brass	
	Hydrostatic Test pressure, pressure/temperature rating material	
	specification: To be specified by the manufacturer	
	Size: 2-1/2"	
8	GOBLE VALVE:	04
	Application: HVAC System	
	Function : Regulating	
	Nominal Pressure: PN16	
	Wheel Type: Non Rising Stem	
	End Connection: Screwed in Bonnet	
	Material of Construction: Brass	
	Hydrostatic Test pressure, pressure/temperature rating material	
	specification: To be specified by the manufacturer	
	Size: 2"	
0		04
9	GOBLE VALVE:	04
	Application: HVAC System	
	Function : Regulating	
	Nominal Pressure: PN16	
	Wheel Type: Non Rising Stem	
	End Connection: Screwed in Bonnet	
	Material of Construction: Brass	
1	Hydrostatic Test pressure, pressure/temperature rating material	

	specification: To be specified by the manufacturer		
	Size: 1-1/2"		
10	GOBLE VALVE:	02	
	Application: HVAC System		
	Function : Regulating		
	Nominal Pressure: PN16		
	Wheel Type: Non Rising Stem		
	End Connection: Screwed in Bonnet		
	Material of Construction: Brass		
	Hydrostatic Test pressure, pressure/temperature rating material		
	specification: To be specified by the manufacturer		
	Size: 1-1/4"		
11	GOBLE VALVE:	10	
	Application: HVAC System	_	
	Function : Regulating		
	Nominal Pressure: PN16		
	Wheel Type: Non Rising Stem		
	End Connection: Screwed in Bonnet		
	Material of Construction: Brass		
	Hydrostatic Test pressure, pressure/temperature rating material		
	specification: To be specified by the manufacturer		
	Size: 1"		
Note	Notes:		
a. Make:Kitz, Hattersley, Flowcon, TYCO, Duker Germany, Tran Valves, CE			
	KSB Germany.	,,	
b.	Origin: EU/USA/Japan		